



PROVIA BUILDS DOORS THE PROFESSIONAL WAY

ProVia has developed a competitive position by catering to a niche within the door market that demands a high degree of customization coupled with outstanding quality. Our company defines the products that meet this demand as "professional-class." We have found success by adhering to a set of core values that guide us as we develop rewarding, long-term relationships with our employees, customers and homeowners.

OUR MISSION:

TO SERVE, BY CARING FOR —
DETAILS
IN WAYS OTHERS WON'T

IT HAS LED US TO **EXACTING STANDARDS**

If you ask around, you'll find attention to detail is what our customers have come to appreciate and expect from the ProVia brand. Our company is family-owned and faith-based with an intense focus on producing Professional-Class products. ProVia feels so strongly about the performance and workmanship of our entry system—built by skilled craftspeople with state-of-the-art manufacturing processes—that it's backed with a Lifetime Limited Warranty. The warranty is even transferable to one subsequent owner. You can visit our website provia.com for details. We're building your doors and our company to last a lifetime - that's **THE PROFESSIONAL WAY**.

INDUSTRY ASSOCIATION

ProVia is a proud member of the Window and Door Manufacturers Association (WDMA) and American Architectural Manufacturers Association (AAMA) - leading voices in our industry. As such, we support advocacy in building code and ASTM standard arenas, quality materials, installation and design in Doors and Windows.









WHAT MAKES PROVIA® PROFESSIONAL-CLASS?

ENTRY SYSTEMS **TAILORED** FOR YOUR HOME

Today's off-the-rack consumer-grade doors, which are cut down to fit your need, often fall short of expectations and performance. This shortcoming is precisely the driving force behind why every ProVia door is built to your home's exact measurements – for a better fit and a more secure and energy efficient door. The materials and workmanship that go into custom-made doors are of exceptional quality and durability, and far exceed what is available as ready-made.





HIGHEST STANDARDS

ProVia is committed to making doors individually customized for homeowners to the highest standards of durability, security and energy efficiency in the residential market. A clear difference so defining that it has established a new category of professional-class doors, a better alternative to consumer-grade doors.

SECURITY | We focus on the strength and security of every door so you can focus on what's really important - your life.

DURABILITY | Made with the finest materials and backed by our Lifetime Limited Transferable Warranty, our durability can't be beat.

BEAUTY | A beautiful ProVia entry system will always greet your guests with classic elegance and style.

ENERGY EFFICIENCY | Engineered to keep the elements at bay and your home comfortable all year long.

ENTRY DOORS

	$\overline{}$	$\overline{}$	п	$T \setminus$	ZD	
יט	U	U	ĸ	T	۲P	ᆮ

	Components	
	Embarq® Fiberglass Features	
	Signet® Fiberglass Features	
	Heritage™ Fiberglass Features Legacy™ Steel Features	
	8' Doors	
	French Doors	
	Inscribed Doors	
	Doors Without Glass	34
GL	ASS	
	mforTech™ Glazing Systems	
	ComforTech Benefits	36
De	corative Glass	
20	Mirage	40
	Brookhaven	
	Manhattan	
	Essence	46
	Cheyenne	
	Symphony	
	Berkley	
	Laurence	
	Carrington	
	Somerset	
	Carmen	
	Barcelona	64
	Constance	66
	Tranquility	
	Gemstone	
	Eclipse	
	Florence	
	Carlisle	
	Twilight	
Dia	logue Layered Glass™	
Dia	Brainstorm	82
	Repartee	
l	-:	
ins	olrations Art Glass	86
	oirations™ Art Glass vacy Glass	
Priv	vacy Glassar Glass	
Priv	vacy Glass ar Glass Clear Glass	88 90
Priv	vacy Glass	88 90 92
Priv	vacy Glass	90 92 94
Priv	vacy Glass ar Glass Clear Glass	90 92 94 96
Priv	vacy Glass ar Glass Clear Glass	90 92 94 96 98
Priv Cle	vacy Glass ar Glass Clear Glass	90 92 94 96 98
Priv Cle	vacy Glass	90 92 94 96 98 01
Priv Cle	vacy Glass ar Glass Clear Glass. White Internal Blinds. Colored Internal Blinds. Simulated Divided Lites. Internal Grids. External Grids. IISHING TOUCHES Stain Finishes.	88 90 92 94 96 98 01
Priv Cle	vacy Glass	88 90 92 94 96 98 01
Priv Cle	vacy Glass	88 90 92 94 96 98 01 02 06 08 10
Priv Cle	vacy Glass	88 90 92 94 96 98 01 02 06 08 10 28
Priv Cle	vacy Glass ar Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids Internal Grids External Grids 1 IISHING TOUCHES Stain Finishes 1 Paint Finishes 1 Trending/Custom Colors 1 Hardware 1 Speakeasy, Hinge Straps, Clavos 1 Pet Doors 1	88 90 92 94 96 98 01 02 06 08 10 28 30
Priv Cle	vacy Glass	88 90 92 94 96 98 01 02 06 08 10 28 30 31
Priv Cle	vacy Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids External Grids Stain Finishes Trending/Custom Colors Hardware 1 Speakeasy, Hinge Straps, Clavos 1 Casing 1 Cladding 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	88 90 92 94 96 98 01 02 06 08 10 28 30 31
Priv Cle	vacy Glass	88 90 92 94 96 98 01 02 06 08 10 28 30 31
Priv Cle	vacy Glass	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31
Priv Cle	vacy Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids Stain Finishes Paint Finishes 11 Trending/Custom Colors Hardware 12 Speakeasy, Hinge Straps, Clavos 13 Cladding 14 DOORS	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31
Priv Cle	vacy Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids Stain Finishes Paint Finishes 11 Trending/Custom Colors Hardware 12 Speakeasy, Hinge Straps, Clavos 13 Cladding 14 DOORS Hinged Patio Doors 15 Hinged Patio Doors 16 Hingon Colors 17 Hinged Patio Doors 18 Hinged Patio Doors 19 Hinged Patio Doors 10 Hingon Colors 11 Hinged Patio Doors 11 Hinged Patio Doors 12 Hinged Patio Doors 13 Hinged Patio Doors 14 Hinged Patio Doors 15 Hinged Patio Doors 16 Hinged Patio Doors 17 Hinged Patio Doors 18 Hinged Patio Doors 18 Hinged Patio Doors 19 Hinged Patio Doors 10 Hinged Patio Doors 10 Hinged Patio Doors 11 Hinged Pa	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31
Priv Cle	vacy Glass ar Glass Clear Glass Clear Glass Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids Stain Finishes Paint Finishes Trending/Custom Colors Hardware 1 Speakeasy, Hinge Straps, Clavos 1 Cladding 1 DOORS Hinged Patio Doors 1 Vinyl Sliding Patio Doors 1 IM DOORS Features and Benefits	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34
Priv Cle	vacy Glass ar Glass Clear Glass Clear Glass Clord Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids Stain Finishes Trending/Custom Colors Hardware 1 Speakeasy, Hinge Straps, Clavos 1 Casing 1 Cladding 1 DOORS Hinged Patio Doors 1 Vinyl Sliding Patio Doors 1 M DOORS Features and Benefits 1 Spectrum™ 1 Speakess 1 Spectrum™ 1 Speakeasy 1 Speakeas	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34 40 42
Priv Cle	racy Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids External Grids IISHING TOUCHES Stain Finishes Trending/Custom Colors Hardware 1 Speakeasy, Hinge Straps, Clavos 1 Casing 1 Cladding 1 Cladding 1 DOORS Hinged Patio Doors 1 INDOORS Features and Benefits 1 Spectrum™ 1 Decorator™ 1 Decorator™ 1 Decorator™ 1 Internal Blinds Intern	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34 40 42 44 46
Priv Cle	racy Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids External Grids IISHING TOUCHES Stain Finishes Trending/Custom Colors Hardware 1 Speakeasy, Hinge Straps, Clavos 1 Casing 1 Cladding 1 Cladding 1 DOORS Hinged Patio Doors 1 INDOORS Features and Benefits 1 Spectrum™ 1 Decorator™ 1 Decorator™ 1 Decorator™ 1 Internal Blinds Intern	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34 40 42 44 46
Priv Cle	ar Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids External Grids 11 ISHING TOUCHES Stain Finishes 11 Paint Finishes 11 Trending/Custom Colors 11 Hardware 12 Speakeasy, Hinge Straps, Clavos 13 Cladding 14 Cladding 15 DOORS Hinged Patio Doors 16 Winyl Sliding Patio Doors 17 Spectrum™ 18 Decorator™ 19 Deluxe™ 19 Deluxe™ 10 DuraGuard™ 10 Superview™ 11 Superview™ 12 Superview™ 12 Superview™ 12 Superview™ 13 Superview™ 14 Superview™ 15 SuperviewM 15 Superview™ 15 Superview™ 15 Superview™ 15 Superview™ 15 Supe	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34 46 48 50
Priv Cle	ar Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids Stain Finishes Trending/Custom Colors Hardware Speakeasy, Hinge Straps, Clavos 1 Cladding DOORS Hinged Patio Doors Vinyl Sliding Patio Doors Peatures and Benefits Spectrum Decorator™ Decorator™ 1 DuraGuard™ 1 Superview™ 1 Su	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34 40 42 44 46 48 50 52
Priv Cle FIN PATIC	ar Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids External Grids 11 ISHING TOUCHES Stain Finishes 11 Paint Finishes 11 Trending/Custom Colors 11 Hardware 12 Speakeasy, Hinge Straps, Clavos 13 Cladding 14 Cladding 15 DOORS Hinged Patio Doors 16 Winyl Sliding Patio Doors 17 Spectrum™ 18 Decorator™ 19 Deluxe™ 10 DuraGuard™ 11 Superview™ 11 Hardware 11 Accessories 11	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34 40 42 44 46 48 50 52
Priv Cle FIN PATIC	ar Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids Stain Finishes Trending/Custom Colors Hardware Speakeasy, Hinge Straps, Clavos 1 Cladding DOORS Hinged Patio Doors Vinyl Sliding Patio Doors Peatures and Benefits Spectrum Decorator™ Decorator™ 1 DuraGuard™ 1 Superview™ 1 Su	88 90 92 94 96 98 01 02 06 08 10 28 30 31 31 32 34 40 42 44 46 48 50 52
Priv Cle FIN PATIC	ar Glass ar Glass Clear Glass Clear Glass White Internal Blinds Colored Internal Blinds Simulated Divided Lites Internal Grids External Grids External Grids 11 ISHING TOUCHES Stain Finishes 11 Paint Finishes 11 Trending/Custom Colors 11 Hardware 12 Speakeasy, Hinge Straps, Clavos 13 Cladding 14 Cladding 15 DOORS Hinged Patio Doors 16 Winyl Sliding Patio Doors 17 Spectrum™ 18 Decorator™ 19 Deluxe™ 10 DuraGuard™ 11 Superview™ 11 Hardware 11 Accessories 11	88 90 92 94 96 98 01 02 06 08 10 28 31 31 32 44 46 48 50 52 56

THE PROFESSIONAL WAY

ProVia® has developed a competitive position by catering to a niche market that demands a high degree of customization coupled with superior quality. You will find attention to detail is what our customers have come to appreciate and expect from us. We're building your doors and our company to last a lifetime...that's The Professional Way.

Partner of the Year Award



90%+ of Windows and Doors are ENERGY STAR® Certified

Professional-Class Exterior Building **Product Lines**

DOORS | WINDOWS | SIDING | STONE | ROOFING



6 Facilities in the United States

Associates Nationwide

Our Mission:



Doing Business Since

1977

Core Values

200+

Metric Tons of CO² Saved Annually

Tons of metals, paper, glass and vinyl recycled annually at ProVia facilities

Visit **provia.com** to explore all of our products and options or dowload the app.











TAILORED JUST FOR YOU AT THE HIGHEST STANDARDS.

SECURITY | DURABILITY | BEAUTY | ENERGY EFFICIENCY

We make it easy for you to make the choice that's right for you. When you combine your selected door style, door glass, paint or stain finish, plus hardware and accessories, the end result is a customized entryway that reflects your personalized style.



CRAFTSMAN STYLE



ARCHITECTURAL

CHARACTERISTICS

AMERICAN CRAFTSMAN

Select atributes of this home style:

- Low-pitched roof lines, usually done in a hip or gable (triangular) style
- Occasional wide, overhanging eaves
- A covered front porch
- Pillars lining the entry
- Double hung windows
- Single, protruding dormers

INSPIRATION

DOOR STYLES










440


GLASS



Laurence







Carrington

FINISHES



Coffee Bean



Sterling Gray





Truffle



MODERN STYLE



ARCHITECTURAL

CHARACTERISTICS

MODERN/CONTEMPORARY

Select atributes of this home style:


- Asymmetrical footprint and floor plan
- Exaggerated roof lines and slopes
- Mix of building materials
- Custom built to client specifications
- Each home is unique to its environment
- Irregular colors

INSPIRATION

DOOR STYLES










115

GLASS



Mirage



Manhattan



Repartee



Brainstorm

FINISHES



Dark Mahogany




Nightfall



Espresso



Coal Black



COLONIAL STYLE



ARCHITECTURAL

CHARACTERISTICS

CLASSIC/COLONIAL

Select atributes of this home style:

- Square or rectangle shape, with the door located in the center and the same number of windows reflected on either side
- High-peaked roof
- Central or end chimneys
- Pillars, dormer windows and brick detailing (mostly in later period homes)

INSPIRATION

DOOR STYLES








GLASS









FINISHES







Mountain Berry

American Cherry

Enzian Blue

Cinnamon

DESIGN YOUR DREAM ENTRYWAY

WITH PROVIA'S EXTERIOR HOME DESIGN TOOLS

Find inspiration for the exterior of your home.

Download ProVia's free app for iPad or try the online Visualizer at **provia.com/visualizer**.



PROVIA VISUALIZER

Use ProVia's Visualizer to change the colors and styles of your home's doors, windows, siding, stone, and roofing

Let your imagination run free with this exterior home design tool. Select from a library of existing home styles, choosing one to match yours, or upload a photo of your own home.

In a few easy steps, update your siding color, add manufactured stone or a metal roof, give the windows a fresh look or personalize a new entry door.

Not sure where to start? Apply one of our pre-selected Designer Collections, then further customize the selections to reflect your own personal style.



PROVIA APP

Use the ProVia app to configure doors and windows or select from an extensive collection of vinyl siding, manufactured stone and metal roofing styles.

FEATURES

Door and Window Configurator

Vinyl Siding Profiles, Colors and Accessory Accents

Manufactured Stone Styles, Color Palettes and Grout Options

Metal Roofing Profiles, Trims and Colors

View Videos, Photo Galleries and Catalogs

Locate a ProVia Dealer









SHOW US YOUR STYLE AND CONNECT WITH US!

We love seeing how you apply our products to your home. Share photos with us.







DESIGN IT YOUR WAY

Imagine Your Entryway With a New Look. ProVia offers you endless possibilities to create the new front door of your dreams. To simplify the experience, we've categorized the selection process here to get you started. These ideas are just the beginning – you'll discover a myriad of additional color and style options throughout this catalog.

DOOR SKIN


Fiberglass and Steel door skins are available in a variety of textured and smooth options.

SIGNET SKIN OPTIONS













EMBARQ SKIN OPTIONS ·























CONFIGURATION

Find and customize a configuration that best fits the opening of your home.



DOOR STYLE

Your home should reflect your personality. That's why you'll find a wide selection of styles to suit your taste.

















GLASS

Select from a full line of Decorative Glass, Inspirations™ Art Glass, Dialogue Layered™ Glass, Clear Glass, Privacy Glass, Simulated Divided Lites and Grid Styles.



FINISH

Our stain and glazed finishes are hand-applied by professional craftsmen, then oven-cured for maximum beauty. Paint finishes are factory applied for a long-lasting, durable finish.



HARDWARE

Hardware from Trilennium®, Hoppe®, Emtek®, Brinks® and Schlage® provide some of the most stylish, durable hardware available today.



ACCESSORIES

Sometimes the smallest things make the biggest difference. Our accessories add a lot to the look of your entry system.



ADD A STORM DOOR

Protect, enhance and ventilate your entryway with a storm door, while adding an extra measure of security.



THE COMPONENTS





Your home is unique and deserves to have custom glass options like our ComforTech™ Warm Edge Glazing Systems which include decorative glass, Inspirations™ Art glass, internal blinds and internal and external grids in many grid patterns and colors.



Impact Shield doors feature laminated glass.



Our 21/2" casing conveniently covers paint lines providing a professional installation. Also available in 31/2". Choose from Cherry, Mahogany, Oak and Poplar. Flat Fir and Poplar trim are available in paint, stain and glazed finishes.



High-performance, heat-resistant window trim is warranted not to warp, crack or pull away from the door, even in sunny or higher temperature applications. Plugless window trim is standard on Embarq® and Signet® and optional for Heritage^{™†} and Legacy^{™†}.

- 1. Smooth (standard on select Signet Smooth doors and sidelites, optional on select Heritage Smooth and Legacy Smooth doors and sidelites) **2.** Embarq and Signet Cherry and Mahogany **3.** Embarq and Signet Oak and Knotty Alder **4.** Signet Fir **5.** Heritage and Legacy 6. Modern Flat Trim (only available on models 112, 114, 115, 116
- † See price list for available styles.



Impact Shield doors have aluminum window trim.



The **Z-ACTM threshold** has an auto-adjusting riser and built-in sealing system that redefines how your door can perform for you. Standard on Signet and Legacy.

- Automatically adjusts to your entry door's changing needs over time, eliminating service calls
- Delivers **non-stop protection** against air and water infiltration
- Saves money and provides an improved door experience

The **ZAI™ threshold** has a manuallyadjustable riser with complementary screw cover caps. Standard on Heritage.





Three **heavy-duty ball bearing hinges** come standard with every entry system.

Additional 4th hinge option for greater durability. (only available with FrameSaver®)


Impact Shield doors have heavy-duty stainless steel hinges.



The energy efficient weatherstripping runs along the top and sides of the door and interlocks with the CornerShield™ for the most efficient seal you'll find for keeping moisture, wind and dirt out of your home.




We include our **20-gauge security plate** for extra strength and to help prevent kick-ins.



We include a **solid brass fully adjustable strike plate** of our
own exclusive design.
This unique 2-piece
construction makes
our doors easier to
custom fit.




The **dust box** in the deadbolt strike provides a barrier to air infiltration while providing a nice appearance that most other door manufacturers don't provide.



Bulb and dual blade sweep virtually eliminates drafts, keeping your home comfortable.

THE COMPONENTS



FrameSaver®

Real World Frame Issues



Shrinking and swelling occur from changes in relative humidity in the atmosphere. **Water wicks** up through wood fibers resulting in **paint peeling, rot and mold**. Traditional door frames begin to rot within 3-6 months of field installation.

FrameSaver Advantages






Our **finger-jointed composite bottom** never absorbs water, warps, cracks or rots, and paints and finishes just like wood. Plus, FrameSaver is backed by the industry's only **fully-transferable lifetime limited warranty** for ultimate peace of mind.

FusionFrame[™]

FusionFrame: A one-of-a-kind alternative to composite or wood jambs, this Endura® component utilizes the strength of an LVL interior, the rot-proof performance of a FrameSaver® bottom, and the durability of a composite frame exterior. Offering a lifetime jamb warranty*.

PREFINISHED, MAINTENANCE-FREE


Available as a textured or smooth frame, providing you with the benefit of a prefinished, maintenance-free system, along with the beauty of a stain or paint finish that matches your entry door.



Not available for transoms or outswing doors. See Price List for complete limitations and restrictions




FrameSaver wood frame and brickmold with fingerjointed composite bottom prevents water absorption and carries a Lifetime Limited Warranty when used with PVC vinyl coated aluminum frame cladding outside. Also available with smooth cladding.



Our **PermaTech™ Composite door frame system** option combines all the strength and convenience of wood with enhanced properties that make it moisture and insect resistant. PermaTech will not absorb or wick moisture and will never rot or splinter, and is covered by a Lifetime Limited Warranty.*

* No storm door applied. See full warranty for limitations



Steel L-Frame

Available on select Signet and Legacy door styles

Aluminum door stop provides greater security and is more durable than wood.


Energy efficient weatherstripping.

18-gauge steel L-frame with a 12-gauge hinge plate welded on for extra strength and security.

(NOT tested for Certified Wind Load or Impact Shield regions)

Not all Steel L-Frames are ENERGY STAR® certified. Visit provia.com website for manufacturer's certification statement.

^{*}Finish warranty will match the finish warranty of door series






See pages 36-90 for glass availability.























SIDELITES



- Embarq® Cherry Embarq® Mahogany
- Embarq® Oak
- O Embarq® Knotty Alder

^{*}Warranty time period may be limited in extreme applications. See warranty for details.



EMBARQ® Fiberglass Doors with Envision® Innovation

QUAD GLASS SYSTEM

Our enVision™ innovation and technology has created a revolutionary new design utilizing a Quad Glass System. This glass system is only available for Embarq fiberglass doors and sidelites and utilizes the most energy efficient glass package available on the market today. This high performance glass system provides an optimal energy efficiency rating.

- A Low-E Glass Surface
- **B** Krypton Filled Air Space
- C Decorative Glass Core
- Super Spacer®
- Tri-Seal Spacer
- (F) We re-engineered our ComforTech Warm Edge Glazing System to accommodate for the extra panes of glass in this highly efficient package.

EMBARQ GLASS PACKAGES

ComforTech[™] **QLK** (Krypton Gas Filled)



R-Value of 10

ComforTech™ **QLA** (Argon Gas Filled)



R-Value of 9


R-Value reflects properties of the glass only. Embarg glass package center of glass calculations.

QLK 113/16" Insulated Glass Unit

SKINS AND FINISHES

Embarq doors available in Cherry, Mahogany, Oak and Knotty Alder and feature all the same stain and paint finishes as our Signet® doors shown on pgs. 102-109.









HARDWARE

Embarq doors are only available with Emtek® hardware. See pg. 116 for finish availability.

EXTERIOR STYLES



Melrose







& Reed



Orleans Marietta

INTERIOR STYLES (Any interior handle can be used with any exterior handle)








Egg (Shown on Marietta)



Cortina (Shown on Orleans)



Turino (Shown on Imperial and Ribbon & Reed)



Satin Nickel caming with Bronze hardware

SIGNET® FIBERGLASS

SIGNET SKIN OPTIONS



CHERRY



KNOTTY ALDER



SMOOTH

Signet Fiberglass doors are available in Cherry, Mahogany, Oak, Fir, Knotty Alder and Smooth Series. Structurally, the Signet door is far superior to traditional fiberglass doors with robust hardwood stiles and rails dovetailed at each corner. All Signet Fiberglass doors exhibit our exclusive DuraFuse™ Finishing System featuring P³ Fusion, allowing us to offer an industry-best 10-year* finish warranty.




Most Signet Fiberglass Entry Systems are ENERGY STAR® Certified.

doubled

CUSTOMIZE BOTH SIDES

You can customize your entry by ordering a different series, style and finish on each side of your door.



Need a little more height or a little less width? We offer customized door and sidelite widths and heights in 1/8" increments.


15-YEAR FINISH WARRANTY*


See pgs. 102-109 for paint and stain finishes




Patented¹

SIGNET FIBERGLASS DOOR STYLES See pages 36-90 for glass availability.





SIDELITES



- Signet Cherry Signet Mahogany


- Signet Oak
- O Signet Knotty Alder
 Signet Fir
 Signet Smooth
- Signet Fiberglass doors without glass are available as an Impact Shield Product.
- * NOT tested for Certified Wind Load regions

Plugless Trim not available on Signet Fir 460

Entry System U-Factor: As low as .16 (Tested to NFRC specifications for a 6 panel door


Note: All Signet doors are shipped finished.

- Warranty time period may be limited in extreme applications. See warranty for details. Patents USD617005, USD621062, USD621063, USD625837, USD625024






HERITAGE FIBERGLASS DOOR STYLES See pages 36-90 for glass availability.



SIDELITES



- Hemlock GrainSmooth Fiberglass
- All Heritage Fiberglass doors without glass are available as an Impact Shield Product.

Entry System U-Factor: As low as .14

(Tested to NFRC specifications for a 6 panel door with wood frame).

Warranty time period may be limited in extreme applications. See warranty for details.



LEGACYTM STEE

LEGACY SKIN OPTIONS







SMOOTH WITH SHAKER EMBOSSING

NEW

Legacy Steel features add up to a professional-class product. Whether you select Legacy Woodgrain Textured Steel or Smooth Steel, our entry systems will provide an elegant, durable and energy efficient addition to any home.

10-YEAR FINISH WARRANTY*

See pgs. 102-109 for paint and stain finishes



Most Legacy Steel Entry Systems are ENERGY STAR® Certified.

Legacy Steel Doors with full-lite or half-lite decorative glass with ComforTech™ glazing will include a pane of Low-E glass in order to be ENERGY STAR certified. This includes the following styles; 150, 230, 239, 240, 350, 430, 437, 439 and 460. Since Low-E glass has a slight color tint, it is recommended that sidelites and transoms are ordered with optional Low-E pane to match the door.



CUSTOMIZE BOTH SIDES


You can customize your entry by ordering a different series, style and finish on each side of your door.




CUSTOM WIDTHS & HEIGHTS

Need a little more height or a little less width? We offer customized door and sidelite widths and heights in 1/4" increments.

LEGACY STEEL DOOR STYLES See pages 36-90 for glass availability.



SIDELITES




- 20-gauge Woodgrain Textured Steel
- 20-gauge Smooth Steel
- 20-gauge Smooth Steel with High-Definition Embossing 24-gauge Smooth or Textured Steel (used with all 20-gauge doors)
- 20-gauge smooth shaker

- Indicated Legacy Steel doors are available as an Impact Shield Product.
- **NOT tested for Certified Wind Load regions**


Entry System U-Factor: As low as .17 (Tested to NFRC specifications for a 6 panel door with wood frame).

- Warranty time period may be limited in extreme applications. See warranty for details.
- Patent USD621062






SIGNET FIBERGLASS DOOR STYLES



115 116 460 •




- ₩ Signet Cherry
- Signet Mahogany
- Signet OakSignet Knotty Alder
- Signet Fir
- Signet Smooth Only available in 42" x 96" size

Entry System U-Factor: As low as .16 (Tested to NFRC specifications for a 6 panel door with wood frame).

- Warranty time period may be limited in extreme applications. See warranty for details.
 Patents USD617005, USD621062, USD621063, USD625837, USD625024

HERITAGE FIBERGLASS DOOR STYLES




- Oak Grain
- Hemlock Grain 0
- Smooth Fiberglass

Entry System U-Factor: As low as .14

(Tested to NFRC specifications for a 6 panel door with wood frame).

* Warranty time period may be limited in extreme applications. See warranty for details.

LEGACY STEEL DOOR STYLES



- O 20-gauge Woodgrain Textured Steel
- 20-gauge Smooth Steel 20-gauge Smooth Steel with High-Definition Embossing 24-gauge Smooth or Textured Steel (used with all 20-gauge doors)
- Entry System U-Factor: As low as .17 (Tested to NFRC
- specifications for a 6 panel door with wood frame).

 * Warranty time period may be limited in extreme applications. See warranty for details.

 † Patent USD621062

Indicated doors are available as an Impact Shield Product.

* NOT tested for Certified Wind Load regions

FRENCH DOORS

French doors make an elegant statement like nothing else. Express your personality by creating a simple yet striking entry. Make it as ornate and beautiful as you like.



METCOME

FRENCH DOOR DETAILS

- All door styles are available as a French Door
- Available with FrameSaver® or Steel L-Frame
- Hinged on each end with door knobs in the center
- Available with either left or right active door (main entryway)
- Center astragal is attached to the inactive door and includes top and bottom slide bolts (used to open inactive door)
- Available as inswing or outswing
- Header security plate standard on Frame
- Hardware Installation: locksets, deadbolts and kickplates will be installed on active and inactive doors, all other hardware on active door only
- Also available with Trilennium hardware

ASTRAGAL DETAILS The French Door Astragal provides functionality and security



Astragal secures inactive door at top and bottom of your french door system



Lockable throw bolts improve security



Astragal bolt penetrates threshold allowing boot to seal, creating a better barrier against the elements



Astragal is stained to match Signet Fiberglass stained doors.

STYLES/CONFIGURATIONS All door styles are available as a French Door.

Custom size clear glass transom♀ pg. 90











UNEQUAL FRENCH DOORS

You now have the ability to utilize the larger entry door day-to-day, yet have the option to open the smaller, inactive door to gain full access.

Available in smooth steel only. Internal blind sizes are limited. See Price List for details.



INSCRIBED DOORS

Elegant and refined to complement an entrance way. Each design is engraved into a Signet® Cherry fiberglass panel showcasing true richness of color and sophistication. Also available with three stainless steel inlay models.

INSCRIBED STYLES (Only available in flush Signet cherry doors.)









STAINLESS STEEL INLAY STYLES (Only available in flush Signet cherry doors.)







AVAILABLE COLORS

CHERRY STAINS















15-YEAR FINISH WARRANTY*

Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.



Doors Without Glass will fill your needs beautifully when privacy is needed.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure


DOORS WITHOUT GLASS STYLE AVAILABILITY

	Doors											8' Doors									
	009 00	8P 008	006C	006	004 00	0031	V 003	003C	002C(P)-449	002 00	2C(P)-437	002-440 0	02P-440	001C	001	001	002W(P)	002C(P)-449	002C(P)-437	002 0	00 00
Embarq / Signet Mahogany Series				•			•														
Embarq / Signet Cherry Series		•		•			•		•			•			•	*	^*	*			
Embarq / Signet Oak Series		•		•			•					•	•								
Signet Fir Series								•						•	•						
Embarq / Signet Knotty Alder Series											•								*		
Signet Smooth Series						•						•			•	•					
Heritage Woodgrain Textured Fiberglass		•	•	•	•		•			•					•					•	• •
Heritage Smooth Fiberglass		•		•	•		•			•					•	•					•
20-Gauge Woodgrain Textured Steel				•											•						
20-Gauge Smooth Steel	•	•		•	•	•	•	•		•	•				•	•					•

 $[\]Delta$ Not tested for Certified Wind Load region

 $f{*}$ Embarq doors and sidelites are not available in 8' heights





♦ Only available in 42" x 96" size

002C-449

002CP-449

002C-437

002CP-437

002


006

008P

COMFORTECH

LIFETIME LIMITED WARRANTYIncludes Glass Breakage and Seal Failure

Measurably improve thermal performance with our ComforTech™ Warm Edge Glazing System. You'll enjoy better energy efficiency and a warmer glass edge.



COMFORTECH WARM EDGE GLAZING SYSTEM IS INCLUDED IN ALL:

- Decorative Glass
- Inspirations™ Art Glass
- Privacy Glass (Except for Dialogue Layered Glass™)
- Clear Glass
- Grids (Internal, External and SDL)
- Hinged Patio Doors
- Vinyl Sliding Patio Doors
- Vinyl Windows



COMFORTECH ADVANTAGES



The NO-Metal Advantage

"Thermal efficiency through no presence of conductive metals" is the Super Spacer hallmark.



Mylar 10-Layer Vapor Barrier

The Super Spacer thermoset foam matrix is exceptional. Moisture is kept out, gas is kept in and conductivity is virtually nonexistent.



Withstands Normal Bowing

The design of our Warm Edge Glazing System stands up to the bending and bowing that is natural in any glass unit.



Enhanced Noise Reduction

Our all-foam formula's excellent sound-dampening properties reduce outside noise, even in industrial environments.

GLAZING SYSTEM OPTIONS See page 150 for Impact Shield laminated glass options

ComforTech™ **TLK**ComforTech™ **TLK-UV**



R-Value of 10

ComforTech™ **TLA**ComforTech™ **TLA-UV**



R-Value of 7

ComforTech™ **DLA**ComforTech™ **DLA-UV**



R-Value of 4

ComforTech[™] **DC**



R-Value of 2

R-Value reflects properties of the glass only. Center of glass calculations are based upon software from Lawrence Berkeley National Laboratory.

COMFORTECH™ ELEVATION SERIES

for customers in high altitude areas

Insulated glass without Argon or Krypton. Capillary tubes are open and inserted behind glazing bead. Low-E softcoat and hardcoat available for vinyl windows and vinyl patio doors.



ComforTech™ **TLE**ComforTech™ **TLE-UV**

R-Value of 5



ComforTech™ **DLE**ComforTech™ **DLE-UV**

R-Value of 3



 $ComforTech^{^{\mathsf{TM}}}\,\textbf{DE}$

R-Value of 2

Understanding the Acronyms

- T Triple Glazed
- D Double Glazed
- \boldsymbol{L} Low \boldsymbol{E}
- C Clear
- A Argon
- **K** Krypton
- **E** Elevation (no gas)
- **UV** Ultraviolet
- ${f HC}$ Hard Coat

Some Elevation Series (TLE-UV, TLE, DLE-UV and DLE) glass offerings require a hardcoat option to be ENERGY STAR® compliant.

DECORATIVEGLASS



Highly-skilled craftsmen assemble hand-beveled glass accented with a variety of unique glass options by precisely cutting, mitering and soldering each component into artistically designed patterns.

Decorative glass purposefully seeks visual character through aesthetic imperfections, while maintaining structural stability. These "imperfections" mimic the hand-made sheet glass of centuries past. They come in the form of textural waves and striations, random seeds (air bubbles) and a variety of other natural effects.

Decorative glass achieves its personality through these apparent flaws and no two sheets are ever identical. Each glass panel is hand-made and reflects minor differences from piece to piece. This is characteristic of any hand-made product and adds to the charm and beauty of the product.

We continually inspect for consistency. The patterns can vary in size and particular shapes, but pose no danger of spontaneous breakage or structural instability. Any patterns that are severely out of character with the glass are not accepted. Our goal is to provide the finest quality glass panels.

ALL* DECORATIVE GLASS:

1. ProVia Exclusive

These decorative glass designs are only found on ProVia doors. This gives your entryway a unique style that can't be found anywhere else.

2. Includes our ComforTech™ Warm Edge Glazing System

Measurably improve thermal performance with our ComforTech Warm Edge Glazing System. You'll enjoy better energy efficiency and a warmer glass edge.

3. Impact Shield available

Impact Shield Products are designed to protect your family and home against the harshest storms and help deter burglaries. Impact Shield products feature laminated glass and can withstand repeated blows from wind-borne debris or unwanted intruders. See page 160 for style availability.

4. Covered by a Lifetime Limited Warranty

Warranty includes glass breakage and seal failure.

*Does NOT include Dialogue Layered Glass™







Mirage offers effortless style, with narrow/thin reed glass all over, complemented by clear beveled glass. Zinc caming tops it off, making it a simple, modern and attractive design.

CAMING FINISH

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Clear Beveled

Caming

Narrow/Thin Reed





All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613MIR**©**ł

































MIRAGE STYLE AVAILABILITY

						Do	ors								Side	lites	;			8' D	oors	;	8' Sid	lelites
	460	440	449	350	150	240	430	439	230	239	420	419	160	140	770	130	139	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•		•					•	•	•	•	•								
Embarq / Signet Cherry Fiberglass	•	•	•		•		•					•	•	•	•	•			*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•					•	•	•	•	•								
Signet Fir Fiberglass	•										•		•		•			•						
Embarq / Signet Knotty Alder Fiberglass	•						•						•		•					*	*			*
Signet Smooth Fiberglass	•	•			•						•		•	•	•									
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•			•	•	•	•	•				•				•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•			•	•	•	•	•				•				•
20-Gauge Woodgrain Textured Steel	•	•		•		•	•	•				•	0	0	•	0	0							
20-Gauge Smooth Steel	•	•		•	•	•	•	•	•	•		•	0	0	•	0	0			•				•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) 5 teel sidelites are made from 24-Gauge steel Requires an additional 6-week lead time

- Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

NEW DECORATIVE GLASS Brookhaven is accented with gray antique glass, giving it a subtle hint of color. The Gray Antique hammered glass delivers some privacy and is accentuated with clear be microcubed glass throughou **CAMING FINISH** Clear Beveled Patina Specify caming finish using the Zinc - BRZ, Patina - BRP Hammered **PRIVACY RATING** 1 2 3 4 5 6 7 8 9 10 less privacy more privacy Microcubed Caming










All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



460BRO













160BRO



160BRO





















BROOKHAVEN STYLE AVAILABILITY

							Do	ors								Si	delit	tes			8' D	oors		8' Sic	delites
	460	440	449	350	150	240	243	430	439	230	239	420	419	400	160	140	130	139	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•					•		•	•	•								
Embarq / Signet Cherry Fiberglass	•	•	•		•		•	•					•		•	•	•			*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•	•					•		•	•	•								
Signet Fir Fiberglass	•											•			•				•						
Embarq / Signet Knotty Alder Fiberglass	•							•							•						*	*			*
Signet Smooth Fiberglass	•	•			•							•			•	•									
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•	•			•	•	•	•	•				•				•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•	•			•	•	•	•	•				•				•
20-Gauge Woodgrain Textured Steel	•	•		•		•		•	•				•	•	0	0	0	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•	•	•		•	•	0	0	0	0			•				•

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
- ł Requires an additional 6-week lead time
- Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
- o Steel sidelites are made from 24-Gauge steel
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

NEW MANHATTAN

DECORATIVE GLASS

Manhattan features streamed glass, clear bevels and gray softwave, combining simplicity and modern style. Accent it with either patina or zinc caming to customize the look.

Streamed

CAMING FINISH

Caming

Clear Beveled

Patina

Specify caming finish using these codes Zinc - MAZ, Patina - MAP

Gray Softwave

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure







All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

















MANHATTAN STYLE AVAILABILITY

			Do	ors				Side	lites		8' D	oors	8' Sid	elites
	460	440	240	430	230	420	160	140	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•			•	•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•		•			•	•	•					
Signet Fir Fiberglass	•					•	•			•				
Signet Smooth Fiberglass	•	•				•	•	•						
Embarq / Signet Knotty Alder Fiberglass	•			•			•					*		*
Heritage Woodgrain Textured Fiberglass	•	•		•	•	•	•	•	•			•		•
Heritage Smooth Fiberglass	•	•		•	•	•	•	•	•			•		•
20-Gauge Woodgrain Textured Steel	•	•	•	•		•	0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0	0			•		•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) o Steel sidelites are made from 24-Gauge steel Requires an additional 6-week lead time

- * Embarq doors and sidelites are not available in 8' heights
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions





All Full Wood Frame and Composite Frame Entry Systems using Essence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Essence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613ESZ**≎**ł















ESSENCE STYLE AVAILABILITY

			Do	ors				Side	lites		8	3' Door	S	8' Sid	lelites
	460	440	150	240	430	230	160	140	770	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•	•		•		•	•	•	•					
Embarq / Signet Cherry Fiberglass	•	•	•		•		•	•	•	•	*		*	*	
Embarq / Signet Oak Fiberglass	•	•	•		•		•	•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•				•		•		•			*			*
Signet Fir Fiberglass	•														
Signet Smooth Fiberglass	•	•	•				•	•	•						
Heritage Woodgrain Textured Fiberglass	•	•	•		•	•	•	•	•	•		•			•
Heritage Smooth Fiberglass	•	•	•		•	•	•	•	•	•		•			•
20-Gauge Woodgrain Textured Steel	•	•		•	•		0	0	•	0					
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0	•	0		•			•

- For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) Also available in 10™ width (which requires an additional 4-week lead time). See Price List for design pattern Requires an additional 6-week lead time

- O Steel sidelites are made from 24-Gauge steel
 Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

DECORATIVE GLASS

Cheyenne features micro-granite, hamm and beveled glass that will add elegance your entryway, while providing a high lev privacy.

CAMING FINISH

Patina

Specify caming finish using th

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Micro-granite

Clear Beveled

Faceted Jewel

Caming

Hammered

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



460CHP



All Full Wood Frame and Composite Frame Entry Systems using Cheyenne Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Cheyenne Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



460CHP

160CHP











160CHP













CHEYENNE STYLE AVAILABILITY

						Doors	5					Si	idelite	es	8'	' Doo	rs	8' Sid	elites
	460	440	350	150	240	243	430	230	419	400	110	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•		•	•		•			•	•	•	*		*	*	
Embarq / Signet Oak Fiberglass	•	•		•		•	•		•			•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•						•					•				*			*
Signet Fir Fiberglass	•											•							
Signet Smooth Fiberglass	•	•		•								•	•						
Heritage Woodgrain Textured Fiberglass	•	•	•	•		•	•	•	•	•		•	•	•		•			•
Heritage Smooth Fiberglass	•	•	•	•		•	•	•	•	•		•	•	•		•			•
20-Gauge Woodgrain Textured Steel	•	•	•		•		•		•	•		0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•		•	•	•	•	•	0	0	0		•			•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
- Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time
- Embarq doors and sidelites are not available in 8' heights
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



460SYZ, 160SYZ, 612/613SYZ



All Full Wood Frame and Composite Frame Entry Systems using Symphony Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Symphony Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



532SYA* ł

































SYMPHONY STYLE AVAILABILITY

						Do	ors							Si	delit	es			8'	Doc	rs		8' S	ideli	tes
	460	440	350	449	150	240	243	430	230	420	419	400	160	140	770	130	120	460	440	430	437	150	160	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•			•		•	•	•	•									
Embarq / Signet Cherry Fiberglass	•	•		•	•		•	•			•		•	•	•	•			*			*		*	
Embarq / Signet Oak Fiberglass	•	•			•		•	•			•		•	•	•	•									
Signet Fir Fiberglass	•									•			•		•		•								
Embarq / Signet Knotty Alder Fiberglass	•							•					•		•					*	*				*
Signet Smooth Fiberglass	•	•			•					•			•	•	•			•					•		
Heritage Woodgrain Textured Fiberglass	•	•	•		•		•	•	•		•	•	•	•	•	•		•		•			•		•
Heritage Smooth Fiberglass	•	•	•		•		•	•	•		•	•	•	•	•	•		•		•			•		•
20-Gauge Woodgrain Textured Steel	•	•	•			•		•			•	•	0	0	•	0									
20-Gauge Smooth Steel	•	•	•		•	•		•	•		•	•	0	0	•	0		•		•			•		•

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
- Requires an additional 6-week lead time Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
 o Steel sidelites are made from 24-Gauge steel
 ♣ Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
 * In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls

BERKLEY

DECORATIVE GLASS

Berkley features micro-iced granite, clear bevels, and small hammered with a timeless herringbone pattern that complements modern, contemporary and Arts & Crafts architecture.

CAMING FINISH

Antique Brass

7inc

Patina

Specify caming finish using these codes: Antique Brass - BEA, Zinc - BEZ, Patina - BEP

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

Clear Beveled

Caming

Micro-iced Granite

Small Hammered



460BEZ, 160BEZ





All Full Wood Frame and Composite Frame Entry Systems using Berkley Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Berkley Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613BEA@ł















BERKLEY STYLE AVAILABILITY

			Do	ors				Ç	Sidelite	S		8' D	oors	8' Sic	lelites
	460	440	240	430	230	420	160	140	770	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•	•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•			•	•	•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•		•			•	•	•	•					
Signet Fir Fiberglass	•					•	•		•		•				
Signet Smooth Fiberglass	•	•				•	•	•	•						
Embarq / Signet Knotty Alder Fiberglass	•			•			•		•				*		*
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•	•			•		•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•	•			•		•
20-Gauge Woodgrain Textured Steel	•	•	•	•			0	0	•	0					
20-Gauge Smooth Steel	•	•	•	•	•		0	0	•	0			•		•

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern † Requires an additional 6-week lead time
- * Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) o Steel sidelites are made from 24-Gauge steel
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Laurence features a gray softwave expressing defined classical vintage that will greet your guests with its distinguished character and prominent lines.

CAMING FINISH

Patina

Clear Beveled

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Patina Caming

Thin Reed

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



Clear Softwave

Gray Softwave

460LAU, 160LAU,





All Full Wood Frame and Composite Frame Entry Systems using Laurence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Laurence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.


















LAURENCE STYLE AVAILABILITY

			Do	ors				Side	lites		8' D	oors	8' Sid	elites
	460	440	240	430	230	420	160	140	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•			•	•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•		•			•	•	•					
Signet Fir Fiberglass	•					•	•			•				
Signet Smooth Fiberglass	•	•				•	•	•						
Embarq / Signet Knotty Alder Fiberglass	•			•			•					*		*
Heritage Woodgrain Textured Fiberglass	•	•		•	•	•	•	•	•			•		•
Heritage Smooth Fiberglass	•	•		•	•	•	•	•	•			•		•
20-Gauge Woodgrain Textured Steel	•	•	•	•		•	0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0	0			•		•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) o Steel sidelites are made from 24-Gauge steel Requires an additional 6-week lead time

- * Embarq doors and sidelites are not available in 8' heights
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

CARRING DECORATIVE GLASS

Carrington features small

hammered, flat seedy and clear

bevels in an attractive vintage

design to accent your home's entryway.

CAMING FINISH

Patina

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Includes Glass Breakage & Seal Failure

LIFETIME LIMITED WARRANTY

Patina Caming

Clear Beveled


Small Hammered



460CAR, 160CAR



All Full Wood Frame and Composite Frame Entry Systems using Carrington Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Carrington Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.


























CARRINGTON STYLE AVAILABILITY

					Door	S					Si	idelite	es		8	' Doo	rs	8' Sic	delites
	460	440	449	240	243	430	230	420	419	160	140	770	130	120	440	430	437	140	130
Embarq / Signet Mahogany Fiberglass	•	•				•			•	•	•	•	•						
Embarq / Signet Cherry Fiberglass	•	•	•		•	•			•	•	•	•	•		*			*	
Embarq / Signet Oak Fiberglass	•	•			•	•			•	•	•	•	•						
Signet Fir Fiberglass	•							•		•		•		•					
Signet Smooth Fiberglass	•	•						•		•	•	•							
Embarq / Signet Knotty Alder Fiberglass	•					•				•		•				*	*		*
Heritage Woodgrain Textured Fiberglass	•	•			•	•	•		•	•	•	•	•			•			•
Heritage Smooth Fiberglass	•	•			•	•	•		•	•	•	•	•			•			•
20-Gauge Woodgrain Textured Steel	•	•		•		•			•	0	0	•	0						
20-Gauge Smooth Steel	•	•		•		•	•		•	0	0	•	0			•			•

- $\$ Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern Requires an additional 6-week lead time
- Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
- Steel sidelites are made from 24-Gauge steel
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Tacoma features hammered and micro-granite design reminiscent of the Arts and Crafts period. Tacoma adds a southwestern inspired theme bringing heritage and legacy to your door.

CAMING FINISH

Patina

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Clear Beveled

Micro-granite

Thin Reed

Small Hammered

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



420TAC-DS, 160TAC, 612/613TAC

Patina Caming



All Full Wood Frame and Composite Frame Entry Systems using Tacoma Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Tacoma Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613TAC**♡**ł











TACOMA STYLE AVAILABILITY

		Do	ors			Sidelites		8' D	oors	8' Sid	lelites
	460	440	240	420	160	140	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•	•					
Embarq / Signet Cherry Fiberglass	•	•			•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•			•	•					
Embarq / Signet Knotty Alder Fiberglass	•				•				*		*
Signet Fir Fiberglass	•			•	•		•				
Signet Smooth Fiberglass	•	•		•	•	•					
Heritage Woodgrain Textured Fiberglass	•	•			•	•			•		•
Heritage Smooth Fiberglass	•	•			•	•			•		•
20-Gauge Woodgrain Textured Steel	•	•	•		0	0					
20-Gauge Smooth Steel	•	•	•		0	0			•		•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) Steel sidelites are made from 24-Gauge steel Requires an additional 6-week lead time

- Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Somerset features small hammered, micro granite and clear bevels in a simple yet elegant design that gives a fresh look to your entryway.

CAMING FINISH

Zinc Caming

Micro-granite

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Clear Beveled

Small Hammered

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



449SOM-1P, 140SOM



All Full Wood Frame Entry Systems using Somerset Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Somerset Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

































SOMERSET STYLE AVAILABILITY

							Door	S							Si	delit	es			8' D	oors		8' Sid	elites
	460	440	449	350	150	240	243	430	230	420	419	400	110	160	140	770	130	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•			•			•	•	•	•							
Embarq / Signet Cherry Fiberglass	•	•	•		•		•	•			•			•	•	•	•		*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•	•			•			•	•	•	•							
Signet Fir Fiberglass	•									•				•		•		•						
Embarq / Signet Knotty Alder Fiberglass	•							•						•		•				*	*			*
Signet Smooth Fiberglass	•	•			•					•				•	•	•								
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•	•	•	•		•	•	•	•			•				•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•	•	•	•		•	•	•	•			•				•
20-Gauge Woodgrain Textured Steel	•	•		•		•		•		•	•	•		0	0	•	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•	•	•	•	•	0	0	•	0			•				•

- § Also available in 10" width. See Price List for design pattern Requires an additional 6-week lead time
 o Steel sidelites are made from 24-Gauge steel
 * Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
- $oldsymbol{\circ}$ Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

CARMEN WROUGHT IRON DECORATIVE GLASS

Carmen features a refreshing new style for an entrance way with old world style charm. Standard with Chinchilla privacy glass and also available in all privacy glass options.

Wrought Iron with Nickel-Veined Finish

Chinchilla

CHINCHILLA PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



460CRM, 160CRM



All Full Wood Frame and Composite Frame Entry Systems using Carmen Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Carmen Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.



















CARMEN STYLE AVAILABILITY

			Do	ors				Side	lites		8' D	oors	8' Sic	elites
	460	440	240	430	230	420	160	140	130	120	440	430	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•			•	•	•		*		*	
Embarq / Signet Oak Fiberglass	•	•		•			•	•	•					
Signet Fir Fiberglass	•					•	•			•				
Embarq / Signet Knotty Alder Fiberglass	•			•			•					*		*
Signet Smooth Fiberglass	•	•				•	•	•						
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•			•		•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•			•		•
20-Gauge Woodgrain Textured Steel	•	•	•	•			0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•		0	0	0			•		•

- ł Requires an additional 6-week lead time
- * Embarq doors and sidelites are not available in 8' heights
- For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
 Steel sidelites are made from 24-Gauge steel
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Barcelona features an exquisite wrought iron design with the option of choosing gluechip (standard), waterfall, taffeta, chinchilla, obscure pebble or clear glass.

Black Wrought Iron

Gluechip

GLUECHIP PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



440BRC-1P, 140BRC



All Full Wood Frame and Composite Frame Entry Systems using Barcelona Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Barcelona Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.















When you order Barcelona glass using the style code BRC, you will receive the standard Gluechip glass. To order the other Privacy Glass options shown below, use the style codes CHI, TAF, WAT or OBS after the letters BRC (e.g. 460BRC-CHI).









1 2 3 4 5 6 7 8 9 10

less privacy

PRIVACY RATING 1 2 3 4 5 6 7 8 9 10 less privacy more privacy

PRIVACY RATING 1 2 3 4 5 6 7 8 9 10 less privacy more privacy

PRIVACY RATING 1 2 3 4 5 6 7 8 9 10 less privacy more privacy

BARCELONA STYLE AVAILABILITY

more privacy

			Doors				Sidelites		8' D	oors	8' Sidelites		
	460	440	240	430	230	160	140	130	440	430	140	130	
Embarq / Signet Mahogany Fiberglass	•	•		•		•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•		•	•	•	*		*		
Embarq / Signet Oak Fiberglass	•	•		•		•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•			•		•				*		*	
Signet Fir Fiberglass	•					•							
Signet Smooth Fiberglass	•	•				•	•						
Heritage Woodgrain Textured Fiberglass	•	•		•	•	•	•	•		•		•	
Heritage Smooth Fiberglass	•	•		•	•	•	•	•		•		•	
20-Gauge Woodgrain Textured Steel	•	•	•	•		0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•	0	0	0		•		•	

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) o Steel sidelites are made from 24-Gauge steel
- Embarq doors and sidelites are not available in 8' heights

Constance features gluechip, medium gray softwave and beveled edge glue chip resulting in a traditional design that gives your entryway an elegant look.

CAMING FINISH

Brass

Specify caming finish using these codes: Brass - COB, Zinc - COZ

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Caming

Gluechip

Beveled Edge Gluechip

Medium Gray Softwave

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



449COB-1P, 770COB, 512/513COB



All Full Wood Frame and Composite Frame Entry Systems using Constance Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Constance Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

































CONSTANCE STYLE AVAILABILITY

GOTTO IN TITUE OF THE																								
	Doors												Si	delit	es			8' D	8' Sidelites					
	460	440	449	350	150	240	243	430	230	420	419	400	110	160	140	770	130	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•			•			•	•	•	•							
Embarq / Signet Cherry Fiberglass	•	•	•		•		•	•			•			•	•	•	•		*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•	•			•			•	•	•	•							
Signet Fir Fiberglass	•									•				•		•		•						
Signet Smooth Fiberglass	•	•			•					•				•	•	•								
Embarq / Signet Knotty Alder Fiberglass	•							•						•		•				*	*			*
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•		•	•		•	•	•	•			•				•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•		•	•		•	•	•	•			•				•
20-Gauge Woodgrain Textured Steel	•	•		•		•		•			•	•		0	0	0	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•		•	•	•	0	0	•	0			•				•

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
- Requires an additional 6-week lead time * Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) o Steel sidelites are made from 24-Gauge steel
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

DECORATIVE GLASS

Tranquility features unique Chinchilla glass accented wit beveled clusters and streamed glass.

Streamed

CAMING FINISH

Patina

Specify caming finish using these code Patina - TRP, Zinc - TRZ

Chinchilla

Granite

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Caming

LIFETIME LIMITED WARRANTY Includes Glass Breakage & Seal Failure



350BRZ, 160BRZ



All Full Wood Frame and Composite Frame Entry Systems using Tranquility Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Tranquility Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613TRP@ł





























TRANQUILITY STYLE AVAILABILITY

	Doors										Si	idelite	es	8' Doors			8' Sidelites		
	460	440	350	150	240	243	430	230	419	400	110	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•		•	•		•			•	•	•	*		*	*	
Embarq / Signet Oak Fiberglass	•	•		•		•	•		•			•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•						•					•				*			*
Signet Fir Fiberglass	•											•							
Signet Smooth Fiberglass	•	•		•								•	•						
Heritage Woodgrain Textured Fiberglass	•	•	•	•		•	•	•	•	•		•	•	•		•			•
Heritage Smooth Fiberglass	•	•	•	•		•	•	•	•	•		•	•	•		•			•
20-Gauge Woodgrain Textured Steel	•	•	•		•		•		•	•		0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•		•	•	•	•	•	0	0	0		•			•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) o Steel sidelites are made from 24-Gauge steel Requires an additional 6-week lead time
- Embarq doors and sidelites are not available in 8' heights
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions





All Full Wood Frame and Composite Frame Entry Systems using Gemstone Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Gemstone Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613GEM@ł



















GEMSTONE STYLE AVAILABILITY

				Do	ors				9	Sidelite	s	8	3' Door	'S	8' Sic	lelites
	460	440	150	240	243	430	230	419	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•	•			•		•	•	•	•					
Embarq / Signet Cherry Fiberglass	•	•	•		•	•		•	•	•	•	*		*	*	
Embarq / Signet Oak Fiberglass	•	•	•		•	•		•	•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•					•			•				*			*
Signet Fir Fiberglass	•	•	•						•	•						
Signet Smooth Fiberglass	•								•							
Heritage Woodgrain Textured Fiberglass	•	•	•		•	•	•	•	•	•	•		•			•
Heritage Smooth Fiberglass	•	•	•		•	•	•	•	•	•	•		•			•
20-Gauge Woodgrain Textured Steel	•	•		•		•		•	0	0	0					
20-Gauge Smooth Steel	•	•	•	•		•	•	•	0	0	0		•			•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)

- To additional door paner syles see pg. 18 (for Embarq*), pg. 22 (for Signet*), pg.
 Steel sidelites are made from 24-Gauge steel
 Requires an additional 6-week lead time
 Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



and clusters of bevel with a traditional and harmonious design. Eclipse promotes classical elegance and privacy.

CAMING FINISH

Brass

Patina

Specify caming finish using these codes: Brass - ECB, Zinc - ECZ, Patina - ECP

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

Caming

Clear Beveled

Double Gluechip

Clear Softwave





All Full Wood Frame and Composite Frame Entry Systems using Eclipse Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Eclipse Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613ECBQł























ECLIPSE STYLE AVAILABILITY

					Do	ors					Side	lites	8' D	oors	8' Sidelites
	460	350	150	243	430	439	230	419	400	110	160	130	440	150	140
Embarq / Signet Mahogany Fiberglass	•		•		•			•			•	•			
Embarq / Signet Cherry Fiberglass	•		•	•	•			•			•	•	*	*	*
Embarq / Signet Oak Fiberglass	•		•	•	•			•			•	•			
Embarq / Signet Knotty Alder Fiberglass	•				•						•				
Signet Fir Fiberglass	•										•				
Signet Smooth Fiberglass	•		•								•				
Heritage Woodgrain Textured Fiberglass	•	•	•	•	•	•	•	•	•		•	•			
Heritage Smooth Fiberglass	•	•	•	•	•	•	•	•	•		•	•			
20-Gauge Woodgrain Textured Steel	•	•			•	•		•	•		0	0			
20-Gauge Smooth Steel	•	•	•		•	•	•	•	•	•	0	0			

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) Steel sidelites are made from 24-Gauge steel Requires an additional 6-week lead time

- Embarq doors and sidelites are not available in 8' heights
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



CAMING FINISH

Brass

Patina

Specify caming finish using these Brass - FLB, Patin

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Clear Beveled

Caming

Alabaster



Hammered



All Full Wood Frame and Composite Frame Entry Systems using Florence Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Florence Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

612/613FLP@ł




























FLORENCE STYLE AVAILABILITY

					Do	ors					S	idelite	es	8	3' Door	'S	8' Sid	elites
	460	440	350	150	240	243	430	230	419	400	160	140	130	440	430	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•		•			•		•		•	•	•					
Embarq / Signet Cherry Fiberglass	•	•		•		•	•		•		•	•	•	*		*	*	
Embarq / Signet Oak Fiberglass	•	•		•		•	•		•		•	•	•					
Embarq / Signet Knotty Alder Fiberglass	•						•				•				*			*
Heritage Woodgrain Textured Fiberglass	•	•	•	•		•	•	•	•	•	•	•	•		•			•
Signet Fir Fiberglass	•																	
Signet Smooth Fiberglass	•	•		•							•	•						
Heritage Smooth Fiberglass	•	•	•	•		•	•	•	•	•	•	•	•		•			•
20-Gauge Woodgrain Textured Steel	•	•	•		•		•		•	•	0	0	0					
20-Gauge Smooth Steel	•	•	•	•	•		•	•	•	•	0	0	0		•			•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) o Steel sidelites are made from 24-Gauge steel
- Requires an additional 6-week lead time
- Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions





All Full Wood Frame and Composite Frame Entry Systems using Esmond Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Esmond Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.






































ESMOND STYLE AVAILABILITY

							Do	ors									Side	lite	S			8' D	oors	;	8' Sid	elites
	460	440	449	350	150	240	243	430	439	230	239	420	419	400	160	140	770	130	139	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•					•		•	•	•	•								
Embarq / Signet Cherry Fiberglass	•	•	•		•		•	•					•		•	•	•	•			*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•	•					•		•	•	•	•								
Signet Fir Fiberglass	•											•			•		•			•						
Embarq / Signet Knotty Alder Fiberglass	•							•							•		•					*	*			*
Signet Smooth Fiberglass	•	•			•							•			•	•	•									
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•	•			•	•	•	•	•	•				•				•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•	•			•	•	•	•	•	•				•				•
20-Gauge Woodgrain Textured Steel	•	•		•		•		•	•				•	•	0	0	•	0	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•	•	•		•	•	0	0	•	0	0			•				•

- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
- Requires an additional 6-week lead time
- Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) o Steel sidelites are made from 24-Gauge steel
- Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



Clear Beveled

Carlisle features clear bevels, arctic and seedy glass giving an appealing entranceway to any style of home.

CAMING FINISH

Patina

Zinc

Specify caming finish using these codes Patina - CRP, Zinc - CRZ

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy

Caming

Seedy

Arctic

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



460CRP, 160CRP, 712/713CRF



All Full Wood Frame and Composite Frame Entry Systems using Carlisle Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Carlisle Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.

































CARLISLE STYLE AVAILABILITY

						Do	ors							Si	delit	es			8' D	oors	;	8' Sid	elites
	460	440	449	350	150	240	243	430	230	420	419	400	160	140	770	130	120	440	430	437	150	140	130
Embarq / Signet Mahogany Fiberglass	•	•			•			•			•		•	•	•	•							
Embarq / Signet Cherry Fiberglass	•	•	•		•		•	•			•		•	•	•	•		*			*	*	
Embarq / Signet Oak Fiberglass	•	•			•		•	•			•		•	•	•	•							
Signet Fir Fiberglass	•									•			•		•		•						
Embarq / Signet Knotty Alder Fiberglass	•							•					•		•				*	*			*
Signet Smooth Fiberglass	•	•			•					•			•	•	•								
Heritage Woodgrain Textured Fiberglass	•	•		•	•		•	•	•		•	•	•	•	•	•			•				•
Heritage Smooth Fiberglass	•	•		•	•		•	•	•		•	•	•	•	•	•			•				•
20-Gauge Woodgrain Textured Steel	•	•		•		•		•			•	•	0	0	•	0							
20-Gauge Smooth Steel	•	•		•	•	•		•	•		•	•	0	0	•	0			•				•


- § Also available in 10" width (which requires an additional 4-week lead time). See Price List for design pattern
- Requires an additional 6-week lead time Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
- Steel sidelites are made from 24-Gauge steel
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions





All Full Wood Frame and Composite Frame Entry Systems using Twilight Glass are ENERGY STAR® Certified and some Steel L-Frame Entry Systems using Twilight Glass are ENERGY STAR Certified. See the ENERGY STAR section of our website for energy ratings on specific styles.











TWILIGHT STYLE AVAILABILITY

		Doors			Side	lites
350	430	230	400	110	160	130
	•					•
	•					•
	•					•
	•				•	
•	•	•	•		•	•
•	•	•	•		•	•
•	•		•		0	0
•	•	•	•	•	0	0
	350 • •	350 430 • • • • • • • • • • • • • • • • • • •		350 430 230 400	350 430 230 400 110	350 430 230 400 110 160

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) o Steel sidelites are made from 24-Gauge steel

BRAINST DIALOGUE LAYERED GLASSTM

Appealing to both mid-modern and modern design sensibilities, Brainstorm's exterior vertical pattern and interior chevron motif combine for an appearance with both subtlety and substance. Brainstorm layered glass has a medium to medium-high privacy range.

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy













BRAINSTORM STYLE AVAILABILITY

		Doors		Sidelites		8' Doors		8' Sidelites
	460	440	430	160	460	440	430	160
Signet Mahogany Fiberglass	•	•	•	•				
Signet Cherry Fiberglass	•	•	•	•		•		
Signet Oak Fiberglass	•	•	•	•				
Signet Knotty Alder Fiberglass	•		•	•			•	
Signet Fir Fiberglass	•			•				
Signet Smooth Fiberglass	•	•	•	•	•			•
Heritage Woodgrain Textured Fiberglass	•	•	•	•	•		•	•
Heritage Smooth Fiberglass	•	•	•	•	•		•	•
20-Gauge Woodgrain Textured Steel	•	•	•	0				
20-Gauge Smooth Steel	•	•	•	0	•		•	•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)

 Steel sidelites are made from 24-Gauge steel



Repartee's frosted layers and geometric grid combine for a design that plays with opacity and movement. Squares and trapezoids carry on a lively back-and-forth as light and vantage points change their appearance. Repartee layered glass offers a high privacy range.

PRIVACY RATING

1 2 3 4 5 6 7 8 9 10

less privacy

more privacy











REPARTEE STYLE AVAILABILITY

		Doors		Sidelites		8' Doors		8' Sidelites
	460	440	430	160	460	440	430	160
Signet Mahogany Fiberglass	•	•	•	•				
Signet Cherry Fiberglass	•	•	•	•		•		
Signet Oak Fiberglass	•	•	•	•				
Signet Knotty Alder Fiberglass	•		•	•			•	
Signet Fir Fiberglass	•			•				
Signet Smooth Fiberglass	•	•	•	•	•			•
Heritage Woodgrain Textured Fiberglass	•	•	•	•	•		•	•
Heritage Smooth Fiberglass	•	•	•	•	•		•	•
20-Gauge Woodgrain Textured Steel	•	•	•	0				
20-Gauge Smooth Steel	•	•	•	0	•		•	•

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) o Steel sidelites are made from 24-Gauge steel

INSPIRATIONS™ ART GLASS

A ProVia exclusive, Inspirations Art Glass allows you to do just what the name suggests-let your doors and windows reflect the inspiration of your imagination with your choice of design and color.

DESIGNS

The process begins with conceptual design. Our twelve beautiful Inspirations Art Glass styles originated from the imagination of our in-house designers.

RESIN BEAD

The design pattern is created on our computer software, and sent to a CNC machine which applies a resin bead to the surface of the glass in one of our four stylish colors.

COLOR FILL


The color fill truly brings the glass to life. Five distinct color palettes are offered empowering you to perfectly reflect the personality of you and your home. Our craftsmen hand-apply this color fill to your glass.

OUR GUARANTEE

The resin bead and color fill are backed by our Lifetime Limited Warranty, and will not fade, blister or peel away from the glass.









Privacy glass allows light to filter in, while keeping a high level of privacy.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

PRIVACY STYLE AVAILABILITY

INVACI STILL F	1 / /	\IL	_/\L) I L I	1 1																											
								[Doo	rs									9	Side	lite	s			8	8' Da	oors	5		8'	Side	elite
	460	440	449	439 4	37 4	30 24	3 24	0 239	230	112	113	114	115	116	420	419	400 110	770	160	140	130	139	120	460 4	40 43	30 43	37 114	4 1	15 11	6 16	50 14	0 13
Embarq / Signet Mahogany Series	•	•			(•										•		•	•	•	•											
Embarq / Signet Cherry Series	•	•	•		(•										•		•	•	•	•				*						*	:
Embarq / Signet Oak Series	•	•			(• •										•		•	•	•	•											
Signet Fir Series	•														•			•	•				•									
Embarq / Signet Knotty Alder Series	•				(•												•	•						>	* *	£				*	
Signet Smooth Series	•	•									•	•	•	•	•			•	•	•				•						•	•	
Heritage Woodgrain Textured Fiberglass	•	•		•	(•			•						•	•	•	•	•	•	•			•	9	•				1	•	•
Heritage Smooth Fiberglass	•	•		•	(• •			•	•		•	•	•	•	•	•	•	•	•	•			•	•	•	•	-	• •	, (•	•
20-Gauge Woodgrain Textured Steel	•	•		•	•	•	•								•	•	•	•	0	0	0	0										
20-Gauge Smooth Steel	•	•		•	•	•	•	•	•	•		•	•	•	•	•	• •	•	0	0	0	0		•	•	•	•	- (• •		•	•

o Steel sidelites are made from 24-Gauge steel

^{*} Embarq doors and sidelites are not available in 8' heights















All entry systems with Privacy Glass can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

Door Styles	GI	azing	Syster	ns
HALF-LITE OR LARGER	TLK	TLA	DLA	DC
460, 449, 440, 437, 430, 439, 240, 239, 230, 112, 114, 115, 116	•	•	•	•
SMALLER THAN HALF-LITE				
420, 419, 400, 243, 110	•	•	•	•

■ ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.



- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™) § Also available in 10" width.

 * Embarq doors and sidelites are not available in 10".

- Embarq doors and sidelites are not available in 8' heights
 Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
 Only available with Modern Flat Window Trim. Only available with 770 sidelite(s) or 160 sidelite(s) with Modern Flat Window Trim.

Note - Privacy glass is available in Simulated Divided Lites (see pg. 96) and External Grids (see pg 101).



Clear Glass is appropriate on every entry of your home and can still be energy efficient.

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure

Door Styles	Gl	azing	Syster	ms
HALF-LITE OR LARGER	TLK	TLA	DLA	DC
460, 449, 440, 439, 437, 430, 350, 240, 239, 230, 150, 112, 114, 115, 116	•	•	•	•
SMALLER THAN HALF-LITE				
420, 419, 400, 243, 110	•	•	•	•
306, 206, 131, 101, 100				•



All entry systems with Clear Glass can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.


■ ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

CLEAR GLASS STYLE AVAILABILITY

													D	00	rs														Si	del	ites	5			8	3' D	oor	'S			8' Sic	delit	tes
	460	440	449	439	437	430	430-	F 35	0 24	3 24	239	230	150	112	113	114	115	116	420	419	400	306 2	06 1	31 1	10 1	01 10	77	0 160	140	139	9 130	120 1	06 46	50 44	0 430	437	150	114	115	116	160 140	130	770
Embarq / Signet Mahogany Series	•	•				•							•							•							•	•	•		•												
Embarq / Signet Cherry Series	•	•	•			•	•		•				•							•				*			•	•	•		•			*			*				*		*
Embarq / Signet Oak Series	•	•				•			•				•							•							•	•	•		•												
Signet Fir Series	•																		•								•	•				•											
Embarq / Signet Knotty Alder Series	•					•																					•	•							*	*					*		*
Signet Smooth Series	•	•											•		•	•	•	•	•								•	•	•				•	•				•	•	•	•		
Heritage Textured Fiberglass	•	•		•		•	•	•	•			•	•						•	•	•	•	•	•		• •	•	•	•		•		•		•						•	•	•
Heritage Smooth Fiberglass	•	•		•		•	•	•	•			•	•	•		•	•	•	•	•	•	•	•	•		• •	•	•	•		•		•	•	•			•	•	•	•	•	•
20-Gauge Woodgrain Textured Steel	•	•		•		•	•	•		•									•	•	•	•	•	•		• •	•	0	0	0	0		0										
20-Gauge Smooth Steel	•	•		•	•	•	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	• •		0	0	0	0		0 0	•	•			•	•	•	•	•	•

Embarq doors and sidelites are not available in 8' heights
 Steel sidelites are made from 24-Gauge steel



- § Also available in 10" width.
- * Embarq doors and sidelites are not available in 8' heights
- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage™) or pg. 26 (for Legacy™)
- O Steel sidelites are made from 24-Gauge steel
- © Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions

 ★ In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls

 ◆ Only available with Modern Flat Window Trim. Only available with 770 sidelite(s) or 160 sidelite(s) with Modern Flat Window Trim.



WHITE BLIND

460BLR-IGP Additional Light Control - BLR styles can also be

Internal Blinds are constructed with sturdy white aluminum and enclosed in tempered safety glass. Easy to clean; no more dusting of blinds. Internal Blinds are suitable for entry doors, sidelites and patio doors and carry a 10-Year Warranty.

Additional Light Control - BLR styles can also be raised and lowered completely.

Internal Blinds also available with optional Low-E
Note: 160BLD-IGT, 160BLD-IGP, 160BLD-IGC, and 160BLD cannot be

WHITE INTERNAL BLINDS STYLE AVAILABILITY

		Do	ors		Side	lites	8' Doors		
	460	440	430	230	160	130	430	440	
Signet Mahogany Fiberglass	*	*	*						
Signet Cherry Fiberglass	*	*	*					•	
Signet Oak Fiberglass	*	*	*						
Signet Smooth	*	*							
Signet Knotty Alder Fiberglass	*		*				•		
Heritage Woodgrain Textured Fiberglass	•	•	•	•	•	•	•		
Heritage Smooth Fiberglass	•	•	•	•	•	•	•		
20-Gauge Woodgrain Textured Steel	•	•	•		0	0			
20-Gauge Smooth Steel	•	•	•	•	0	0	•		

- o Steel sidelites are made from 24-Gauge steel
- * On Signet doors, blind operator will be operator pictured on page 94



All entry systems with Internal Blinds can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

Door Styles		
INTERNAL BLINDS	DLA	DC
With Internal Grids	•	•
INTERNAL BLINDS		
Without Grids	•	•

ENERGY STAR Certified

Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

WITH TRADITIONAL (COLONIAL) INTERNAL GRIDS













WITH **PRAIRIE** INTERNAL GRIDS









WITH COTTAGE INTERNAL GRIDS











430BLR-IGC†∆ 430BLR†*



BLINDS WITHOUT INTERNAL GRIDS









- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) Δ Not available in Signet Series
- $\star~$ On Signet doors, $\bar{\text{blind}}$ operator will be operator pictured on page 80

Note: 160BLD-IGT, 160BLD-IGP, 160BLD-IGC, and 160BLD cannot be raised and lowered



Internal blinds are now offered in four neutral hues to complement any room in the house. Easy to clean; no more dusting of blinds. Internal Blinds are suitable for entry doors, patio doors and windows. Offering a 10-Year Warranty.

AVAILABLE COLORS

Cream

Tan

Silver

Champagne

(require additional lead time)

*colors not available in sidelites



All entry systems with Internal Blinds can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

COLORED INTERNAL BLINDS STYLE AVAILABILITY

		Doors	;	8' D	oors
	460	440	430	430	440
Signet Mahogany Fiberglass	•	•	•		
Signet Cherry Fiberglass	•	•	•		•
Signet Oak Fiberglass	•	•	•		
Signet Smooth	•	•			
Signet Knotty Alder Series	•		•	•	
Heritage Woodgrain Textured Fiberglass	•	•	•	•	
Heritage Smooth Fiberglass	•	•	•	•	
20-Gauge Woodgrain Textured Steel	•	•	•		
20-Gauge Smooth Steel	•	•	•	•	

ENERGY STAR Certified
Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

BLINDS WITHOUT INTERNAL GRIDS







WITH **TRADITIONAL** (COLONIAL) INTERNAL GRIDS







460BLR-IGT∆

430BLR-IGT†∆

WITH **PRAIRIE** INTERNAL GRIDS







WITH **COTTAGE** INTERNAL GRIDS








460BLR-IGC∆

440BLR-IGC†∆

430BLR-IGC**†**∆









95

[†] For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®), pg. 24 (for Heritage®) or pg. 26 (for Legacy®) Δ Not available in Signet Series



Simulated Divided Lites (SDL) are reminiscent of old world craftsmanship when separate pieces of glass were mulled together with wooden grids. We deliver that same stunning appearance through our high-tech stained fiberglass 1" wide x 11/32" thick grids combined with the energy efficient qualities of our ComforTech glass packages.







CONTOUREDAvailable for all styles shown, except for Signet Fir Series

LIFETIME LIMITED WARRANTY

Includes Glass Breakage & Seal Failure



All entry systems with Simulated Divided Lites can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.



SIMULATED DIVIDED LITES STYLE AVAILABILITY

			Do	ors						Side	lites		8'	Doc	rs	8' Sidelites
	460	440	449	430	420	419	230	240	160	140	130	120	440	430	437	140
Embarq / Signet Mahogany Fiberglass	•	•		•		•			•	•	•					
Embarq / Signet Cherry Fiberglass	•	•	•	•		•			•	•	•		*			*
Embarq / Signet Oak Fiberglass	•	•		•		•			•	•	•					
Signet Fir Fiberglass	•				•				•			•				
Embarq / Signet Knotty Alder Fiberglass	•			•					•					*	*	*
Signet Smooth Fiberglass	•	•							•	•						
Heritage Woodgrain Textured Fiberglass 🔺	•	•		•			•		•	•	•			•		
Heritage Smooth Fiberglass ▲	•	•					•		•	•	•			•		
20-Gauge Woodgrain Textured Steel 🔺	•	•		•				•	•	•	•			•		
20-Gauge Smooth Steel ▲	•	•		•			•	•	•	•	•			•		

Door Styles	Gl	azing	Syster	ns
HALF-LITE OR LARGER	TLK	TLA	DLA	DC
460, 440, 449, 430, 437			•	•
SMALLER THAN HALF-LITE				
420, 419			•	•

ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

- † For additional door panel styles see pg. 18 (for Embarq®), pg. 22 (for Signet®)
- * Embarq doors and sidelites are not available in 8' heights
- ▲ Requires plugless trim



419DC-SDC**†**





130DC-SDC-TS 430DC-SDC-TS† 120DC-SDT 420DC-SDT-DS† 120DC-SDC 420DC-SDC-DS† 120DC-SD4 420DC-SD6-DS†



Note - All doors and sidelites with SDL's are available with privacy glass.

Note - SDL's match stain or paint of door.

130DC-SDC 430DC-SDC†

430DC-SD6†




INTERNAL GRIDS OPTIONS

Note: Pencil Grids are not available in Prairie Grids on some indicated doors and transoms











INTERNAL GRIDS STYLE AVAILABILITY

					• / •	. —																	
					Dog	ors						Sic	delit	tes		8	3' D	oor	s	8'	Sid	elite	es
	460	449	440	437	430	240	230	420	419	400	770	160	140	130	120	460	440	430	437	160	140	130	770
Embarq / Signet Mahogany Series	•		•		•				•		•	•	•	•									
Embarq / Signet Cherry Series	•	•	•		•				•		•	•	•	•			*				*		*
Embarq / Signet Oak Series	•		•		•				•		•	•	•	•									
Signet Fir Series	•							•			•	•			•								
Embarq / Signet Knotty Alder Series	•				•						•	•						*	*		*		*
Signet Smooth Series	•		•					•			•	•	•			•				•			
Heritage Textured Fiberglass	•		•		•		•	•	•	•	•	•	•	•		•		•		•		•	•
Heritage Smooth Fiberglass	•		•		•		•	•	•	•	•	•	•	•		•		•		•		•	•
20-Gauge Woodgrain Textured Steel	•		•		•	•		•	•	•	•	0	0	0									
20-Gauge Smooth Steel	•		•	•	•	•	•	•	•	•	•	0	0	0		•		•		•		•	•

All entry systems with Internal Grids can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

Door Styles	Glazi	ng Sys	stems
HALF-LITE OR LARGER	TLA	DLA	DC
460, 440, 430, 240, 230	•	•	•
430, 440 Heritage Fiberglass only	•	•	•
449, 437		•	•
SMALLER THAN HALF-LITE			
420, 419, 400			

 ENERGY STAR Certified Refer to pg.37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

f * Embarq doors and sidelites are not available in 8' heights

o Steel sidelites are made from 24-Gauge steel

CONTOURED GRID COLORS AND STAINS



TWO-TONE CONTOURED GRIDS

Snow Mist	Snow Mist	Snow Mist	Snow Mist	Snow Mist	Snow Mist	Snow Mist
Café Cream	Sandpiper Beige	Sandstone	Forest Green	Mountain Berry	Coal Black†	Honey Wheat† & Light Oak†
Snow Mist Oak†	Snow Mist Almond† & Dark Oak†	Snow Mist American Cherry† & Cherry†	Snow Mist Toffee† & Traditional Cherry†	Sandpiper Beige Honey Wheat† & Light Oak†	Sandpiper Beige Oak†	Sandpiper Beige Almond† & Dark Oak†
Sandpiper Beige American Cherry† & Cherry†	Sandpiper Beige Toffee† & Traditional Cherry†	Sandstone Honey Wheat† & Light Oak†	Sandstone Oak†	Sandstone Almond† & Dark Oak†	Sandstone American Cherry† & Cherry†	Sandstone Toffee† & Traditional Cherry†

TRADITIONAL (COLONIAL) INTERNAL GRIDS





PRAIRIE INTERNAL GRIDS



INTERNAL GRIDS CONT'D

COTTAGE INTERNAL GRIDS





TRANSOMS



















External grids will match the door's paint or stain color.

Note: All doors with external grids (except for 410 style) are available with privacy glass.

EXTERNAL GRID STYLE AVAILABILITY

			Sidelites					
	460	430	439	230	410	400	160	130
Signet Mahogany Series								
Signet Cherry Series								
Signet Oak Series								
Signet Knotty Alder Series								
Signet Smooth Series								
Heritage Woodgrain Textured Fiberglass	•	•	•	•	•	•	•	•
Heritage Smooth Fiberglass	•	•	•	•	•	•	•	•
20-Gauge Woodgrain Textured Steel	•	•	•		•	•	0	0
20-Gauge Smooth Steel	•	•	•	•	•	•	0	0

- For additional door panel styles see pg. 24 (for Heritage[™]) or pg. 26 (for Legacy[™])
 Not available in 1" warm edge. Also, window trim screw plugs are not available for this door style.
 Steel sidelites are made from 24-Gauge steel



All entry systems with External Grids can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

Door Styles	Glazing Systems									
HALF-LITE OR LARGER	TLK	TLA	DLA	DC						
460, 430, 439, 230	•	•	•	•						
SMALLER THAN HALF-LITE										
410				•						
400	•	•	•	•						

■ ENERGY STAR Certified Refer to pg. 37 for Glazing Systems information

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

STAIN FINISHES



EMBARQ® & SIGNET®

EMBARQ AND **SIGNET**

7-STEP STAIN FINISHING SYSTEM



15-YEAR FINISH WARRANTY*

Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Always refer to our color selector for accurate color representation.





New Winds City New River Gorge New River Gorge New River Gorge

EMBARQ® & SIGNET® GLAZED FINISHES

EMBARQ AND **SIGNET**

9-STEP GLAZED FINISHING SYSTEM



Distinctive beauty achieved through a creative hand-applied finish giving each door a unique aged look.

15-YEAR FINISH WARRANTY*

Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Always refer to our color selector for accurate color representation.

HERITAGE® & LEGACY STEEL®

LEGACY

6-STEP STAIN FINISHING SYSTEM



HERITAGE

5-STEP STAIN FINISHING SYSTEM



10-YEAR FINISH WARRANTY*

Heritage and Legacy Doors

*Warranty time period may be limited in extreme exposure applications. See warranty for details



Always refer to our color selector for accurate color representation.



EMBARO AND **SIGNET** PAINTS

5-STEP PAINT FINISHING SYSTEM



HERITAGE PAINTS

4-STEP PAINT FINISHING SYSTEM



EMBARQ®, SIGNET® HERITAGE™ & LEGACY™ STEEL

15-YEAR FINISH WARRANTY*

Embarq and Signet Fiberglass


10-YEAR FINISH WARRANTY*

Heritage and Legacy Doors

 $^{\star}\text{Warranty time period may be limited in extreme exposure applications. See warranty for details.}$

LEGACY PAINTS

5-STEP PAINT FINISHING SYSTEM



Always refer to our color selector for accurate color representation. † Limited Colors. Matching cladding and caulking not available.

	Snow Mist	
	Café Cream	
	Primrose Yellow †	
	Chateau	
	Sandpiper Beige	
	Sandstone	
	Sterling Gray	
	NEW Nightfall	
Paint Finishes	Clay	
	Geneva Blue	
	Enzian Blue †	
	Forest Green	
	Vallis Red †	
	Mountain Berry	
	Rustic Bronze	
	Tudor Brown	
	Coal Black	107




NEW

TRENDING COLORS

Color trends are always changing. ProVia's color palette has been completely refreshed to give you even more paint color options for your entry doors, vinyl windows and patio doors.

All of our traditional hues have been categorized and new "trending" colors have been added, creating three very distinct color palettes to suite your taste: Natural Instincts, Freshly Picked and Stately Shades.









Always refer to our color selector for accurate color representation.

CUSTOM PAINT COLORS


Still searching for the perfect color?

Custom color-matching is also available on our Entry Doors, Aeris Windows and Patio Doors, Endure Windows and Patio Doors (exterior only).

THE COLORS

Custom stains also available on Signet Fiberglass and Aeris Windows and Patio Doors.

Additional lead-time required.



HARDWARE

We offer a variety of designs and finishes, from angular to flowing, classic to contemporary, all with their own security features, unique functionality, and advanced technology. You'll be sure to find the features and design that will ensure your front door is the perfect complement to your new entryway.







TRILENNIUM® MULTI-POINT



ECLIPSE



PINNACLE (Not available in Black Finish)



WESTCOTT (Not available in Bright Brass Finish)



Trilennium hardware is required on all 8' Signet® and Heritage™ fiberglass doors.
Optional on all other fiberglass doors.

Also available on all 20-gauge Legacy steel doors.

NOT available on Steel L-Frames

Trilennium hardware has a 10-Year warranty on materials and workmanship.

Trilennium hardware is NOT available on French Doors in Certified Wind Load or Impact Shield regions.

TRILENNIUM HARDWARE IS AVAILABLE IN THESE FINISHES



* Flat Bronze does not coordinate with Black/Bronze accessories.



Lifetime finish warranty time period is limited to five years if product is installed in an Impact Shield region.



Hoppe Multi-Point hardware offers the additional security of four points of latching when the door is locked, and the easy operation of one point of latching when the door is unlocked.

- Stainless Steel and other non-corrosive components.
- Anti-Back Drive prevents locking points from disengaging from the outside for added security.
- Latch Blocker on inactive systems will not allow multipoint activation until inactive system is activated.
- Lock Out Feature on interior system allows for multipoint activation from the exterior of the door by lifting handle.
- Backplate and cylinder housing are forged into one piece for improved appearance and easier installation.
- Simultaneous retraction feature enables all locking points to be retracted by pushing down on the inside handle.

HOPPE HARDWARE IS AVAILABLE IN THESE FINISHES



(Hoppe hardware is NOT tested for Certified Wind Load or Impact Shield regions)


*Not available on patio units.

EXTERIOR STYLES



INTERIOR STYLES







EMTEK's Mortise hardware features the added advantages and options that come with push-button controls.

- Push-button passage controls For more passage and locking options
- Heavy-duty Forged Brass Construction - For long lasting beauty
- Solid Brass Nose Bolts on Latches - For dependable use
- Lifetime Mechanical Warranty
 Our guarantee of value
- Lifetime Anti-tarnish Finish Warranty - Beauty for life

Push button passage controls provide added security and peace of mind. When the upper button is pressed in, the mortise lock is only accessible by using a key.

To activate the Passage Function, push in the lower button. This will allow you to access the thumb latch without a key.

Note: As long as the Passage Function is NOT engaged, the door will lock automatically when latched, and will not allow entry without a key.

EMTEK MORTISE HARDWARE IS AVAILABLE IN THESE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Oil Rubbed Bronze

Lifetime Black


(EMTEK Mortise hardware is NOT tested for Certified Wind Load or Impact Shield regions)

(EMTEK Mortise hardware is only available for Signet Fiberglass and 20-gauge steel doors)



See video at *provia.com/provia-videos* for features and operation

EXTERIOR STYLES



INTERIOR STYLES



EXTERIOR / INTERIOR AVAILABLE COMBINATIONS

Exterior Handles	Interior Levers and Knobs								
	Oval Egg	Square Knob	Coventry Lever	Hammered Lever	Cortina Lever				
Salem	•	•	•						
Mills*	•	•	•						
Craftsman*				•					
Albany					•				

^{*} Not available in Bright Brass Finish



EMTEK's unique Interconnect Device provides the security of a locking deadbolt while providing the means for a panic-proof exit. Turning the interior knob or lever simultaneously retracts both the deadbolt and passage latches.

- Heavy-duty Forged Brass Construction - For long lasting beauty
- Durable Springs To prevent lever sag
- Threaded Brass Tubes Solid brass nose bolts on latches
- Lifetime Mechanical Warranty Our guarantee of value
- Lifetime Anti-tarnish Finish Warranty - Beauty for life

EMTEK HARDWAREIS AVAILABLE IN THESE FINISHES





Lifetime finish warranty time period is limited to five years if product is installed in an Impact Shield region.

EXTERIOR STYLES (Single Point Lock)



MODERN RECTANGULAR

(Two Point Lock)

Panic-proof exit not available in Modern Rectangular hardware



Hanover Lever*

Knob*

INTERIOR STYLES

(Any interior handle can be used with any exterior handle)





^{*} Not available in Bright Brass finish




Brinks' Home Security Push Pull Rotate Knobs and Levers are the easiest, most comfortable way to open a door. With just one finger, an elbow, or your hip, you can simply push or pull your way through a door. Great if you have your hands full or free!

BRINKS HARDWARE IS AVAILABLE IN THESE FINISHES

10-Year Satin Nickel

10-Year Aged Bronze



EXTERIOR STYLES




INTERIOR STYLES



EXTERIOR / INTERIOR AVAILABLE COMBINATIONS

Exterior Handles	Interior Levers and Knobs						
	Harper Lever	Stafford Knob					
Anderson	•						
Harper	•						
Stafford		•					

^{*}not available for outswing doors



Schlage Vintage hardware offers you much more than just great looks. Look to Schlage for hardware that looks great and lasts.

- Solid Cast Brass For long lasting beauty
- Maximum Security Deadbolt For peace of mind
- Nickel Silver Pins and Keys For smooth, reliable operation
- Heavy Duty Springs
 For durable and "droop-free"
 levers
- Superior Parts and Design Tested for over 400,000 cycles of operation
- Lifetime Mechanical Warranty Our guarantee of value
- Lifetime Anti-tarnish Finish Warranty Beauty for life

SCHLAGE VINTAGE HARDWARE IS

AVAILABLE IN THESE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Antique Brass

Lifetime Black



Lifetime finish warranty time period is limited to five years if product is installed in an Impact Shield region.

Antique Brass finish is NOT available.

EXTERIOR STYLES



INTERIOR STYLES



^{*} Not available in Bright Brass finish



SCHLAGE SENSE™

SMART DEADBOLT

The Schlage Sense Smart Deadbolt makes daily life easier and more convenient. Enter an access code on the touchscreen to unlock the door instead of searching your pockets for keys. Pairing the lock with your smartphone over Bluetooth® is as easy as pairing your phone with your car, and the free Schlage Sense app makes setting up and using the lock as simple as checking email. Share access with trusted friends and family with just a few taps - no more keeping track of spare keys.













Lifetime Satin Nickel Lifetime Black



CONTROL FROM ANYWHERE

The Schlage Sense Wi-Fi Adapter allows your smartphone to lock/unlock your door from anywhere by creating a secure connection between your Schlage Sense Smart Deadbolt and the Wi-Fi network in your home. Set up is quick and easy, just use the free Schlage Sense app*, compatible with both iOS and Android smartphones.

*Wi-Fi Adapter is not compatible with Apple HomeKit.





HOME AUTOMATION INTEGRATIONS

Lock and unlock your door from anywhere using compatible home automation systems.







ELECTRONIC DEADBOLT

ELECTRONIC KEYPAD DEADBOLT

ACCENT LEVER ELECTRONIC LOCKSET



Electronic locksets and deadbolts utilize Schlage's Innovative keyless access. It's convenient and is customizable to fit your security needs.

- Deadbolt is available with any Schlage entry hardware
- 9-volt battery included
- Lighted keypad
- Up to 19 user codes
- Easy to add or delete codes
- Lifetime Mechanical and 3-Year **Electronics Warranty**

AVAILABLE FINISHES



TOUCH KEYPAD **ELECTRONIC**

KEYLESS DEADBOLT

ACCENT LEVER TOUCH KEYPAD ELECTRONIC

KEYLESS LOCKSET



- Fingerprint-resistant
- Works in the rain and when you're wearing gloves
- 100% pick-proof
- Sleek without sacrificing strength
- 2-year battery life with a 9V battery backup
- Illumination when you need it, on both the numbers and the lever
- Enhanced Security
- 100% bump-proof
- Graded Best in Residential Security, Durability, and Finish

AVAILABLE FINISH







Schlage Classic hardware can fill your needs when you desire something understated, yet beautiful and lasting. Choose from an assortment of finishes.

SCHLAGE CLASSIC **HARDWARE FINISHES**





Lifetime finish warranty time period is limited to five years if product is installed in an Impact Shield region.

Antique Brass finish is NOT available.

SCHLAGE CLASSIC DOOR LOCKSETS AND DEADBOLTS



Accent/Addison Keyed Lockset*



Accent Keyed Lockset





Georgian Key in Knob Lockset



Flair Keyed Lockset



Trim Keyed Lockset §



Latitude Lever with Century Latitude Lever with Collins Trim Keyed Lockset ‡





Addison Trim







Thumbturn 1" Deadbolts



Maximum Security Double Key 1" Deadbolt ◊

Interior



Interior Only 1-Sided Thumbturn 1" Deadbolt ◊ Steel or Signet Fiberglass)

(Only available in 20-Gauge

- Interior Only 1-Sided Thumbturn Deadbolts on any door which is used for egress may be a safety hazard in times of emergency. Double Key Deadbolts on any door which is used for egress are a safety hazard in times of emergency.
- Not available in Bright Brass finish Only available in Satin Nickel finish
- § Only available in Satin Nickel and Aged Bronze finish

SCHLAGE PASSAGE LATCHES



Accent/Addison Passage Latch*



Accent Passage Latch



Latitude Lever with Century Trim §



Latitude Lever with Collins Trim ‡




Flair Passage Latch



Georgian Passage Latch

OPTIONAL ACCESSORIES

Sometimes the smallest things make the biggest difference. Our accessories add a lot to the look of your entry system.



OPTIONAL **DECORATIVE HINGES** NOT tested for Impact Shield regions.

Also available in Satin Nickel & Oil Rubbed Bronze (Inswing only)



ACCESSORIES FINISH AVAILABILITY 5-Year Mechanical Warranty

	Lifetime Finish			5-Year	Finish	No Finish Warranty	Impact Shield 5-Year Finish
Accessories	Bright Brass	Satin Nickel	Black/ Bronze	Bright Brass	Antique Brass	Oil Rubbed Bronze	Bright Brass, Satin Nickel & Black/Bronze
Colonial Door Knocker	•	•				•	(N/A Black/Bronze)
Classic Door Knocker/Viewer	•	•	•	•	•		•
Classic Door Knocker	•	•	•	•	•		•
Magazine Slot*	•	•	•	•	•		
Mail Slot*	•	•	•	•	•		
Kick Plate	•	•	•	•	•		•

Mail slot and magazine slot are not available on 003C, 006C, 008P, 009, 420-DS, 420-2P, 420-3P, 110, 243, 440, 240, 449, 460, & 350 door styles.
 Additionally, magazine slots are also not available on 002C-449 & 003 door styles.
 Peepsite available in Bright Brass, Chrome (recommended for use with Satin Nickel hardware finish) and Aged/Antique (recommended for use with Aged Bronze or Antique Brass hardware finish) with 5-year finish warranty.



The Hinge Straps, Clavos and Speakeasy are options that can give your entryway an old world look. Combine these options with our Signet® Knotty Alder Series to achieve a rustic or antique style. Hinge Straps, Clavos and Speakeasy are constructed of durable flat black aluminum.

HINGE STRAPS Available on all door styles shown on opposite page



Available as an Impact Shield product.



CLAVOS Available only on door styles shown with planks on opposite page (002CP-449, 002CP-437, 8' 002CP-449 and 8' 002CP-437)



Available as an Impact Shield product.



SPEAKEASY Available on all door styles shown below except for 8' 002C-437 and 8' 002CP-437

NOT tested for Certified Wind Load or Impact Shield regions. (Doors with Speakeasy are not ENERGY STAR® certified.) ProVia® does not recommend entry doors with Speakeasy applications in the Northern climate zone. We also recognize some of the North-Central climate zone areas are not suitable for this application as well. We recommend this application to be used only in the South-Central and Southern climate zones. Speakeasy applications carry a 5-year limited warranty. See price book for more details.





Exterior



IRON DOOR

SEEDY GLASS DOOR

(single pane)


FAUX SPEAKEASY

Enjoy the decorative look of a speakeasy without impeding the energy efficiency of the entry door. Available on all door styles shown below.






SIGNET® & EMBARQ® FIBERGLASS DOOR STYLES



- ₩ Signet/Embarq Cherry
- Signet/Embarq Oak Signet/Embarq Knotty Alder

Signet Smooth

8' SIGNET FIBERGLASS DOORS



OPTIONS



PlexiDor® PET DOOR

(NOT available in Certified Wind Load or Impact Shield regions) (Doors with Pet Door are not ENERGY STAR® certified)

Factory Installed - Available on Flush Doors Only

- Shatter resistant saloon-styled door panels provide durability and insulation
- Thermo-pane panels lined with high density weather seal for maximum energy efficiency
- Available in White, Silver, and Bronze frames
- Available on the following styles: 001, 430DC-F, 430VNT-F, 430DC-EG-F, 430DC-IGT-F, 100DC, 101DC, 131DC & 306DC

Medium: 9" \times 12" opening for pets up to 40 lbs. Large: 11¾" \times 16" opening for pets up to 100 lbs. X-Large: 15¾" \times 23%" opening for pets up to 220 lbs.






FREEDOM® PET DOOR

(NOT available in Certified Wind Load or Impact Shield regions) (Doors with Pet Door are not ENERGY STAR® certified)

Factory Installed - Available on Flush Doors Only


- Solid aluminum construction with locking panel
- Soft single flap for tight weather seal
- Antique White mitered aluminum frame
- Available on the following styles: 001, 430DC-F, 430VNT-F, 430DC-EG-F, 430DC-IGT-F, 100DC, 101DC, 131DC & 306DC
- Also available on storm doors. See pg. 156.

Medium: $8\frac{4}$ " x $12\frac{4}$ " opening for pets up to 40 lbs. Large: $10\frac{4}$ " x $16\frac{4}$ " opening for pets up to 100 lbs. X-Large: $13\frac{3}$ " x $23\frac{3}$ " opening for pets up to 220 lbs.



CASING

Put the finishing touch on the inside of your entryway with our beautiful interior casing. Available in Cherry, Mahogany, Fir, Oak or Poplar wood.



Available for any door configuration including transoms.

Signet[®] stains are available on Cherry, Mahogany, Oak or Fir casing, and Heritage[™] and Legacy[™] stains are available on Oak or Poplar casing. Paint and glazed finishes are available on Poplar casing.

Custom Casing

Don't see a casing style you need? We have a custom casing program that can meet your needs. Contact your dealer for additional information on our Custom Casing program.



ALUMINUM PRE-FIT CLADDING

Cladding is worth the small investment. You can add cladding to any FrameSaver® or PermaTech™ Composite Frame.

- Protective
- Stays beautiful
- Maintenance-free
- Factory applied

TEXTURED CLADDING COLORS



TUFTEX SMOOTH CLADDING COLORS

Aluminum trim coil with mar-resistant smooth finish.



- Smooth Sandstone cladding is a close match, but not an exact match to Sandstone paint color.
- * Smooth Classic Bronze cladding does not match Rustic Bronze cladding color or Rustic Bronze paint color.

^{*} Only available in Fir and Poplar


HINGED PATIO DOORS

Hinged Patio Doors are swinging patio door systems available in 2 or 3-lite units and constructed of the same solid quality Signet® and Heritage™ Fiberglass, and Legacy™ Woodgrain Textured or Smooth Steel doors as our entry door units.



IMPACT SHIELD AVAILABLE See pgs. 160 for available door styles

Designer Patio Doors with Heritage Fiberglass are NOT available in Certified Wind Load regions.



PATIO DOOR **STANDARD FEATURES**




A keyed Schlage® flair handleset with a Maximum Security thumbturn deadbolt is included. Choose from bright brass, antique brass, satin nickel or aged bronze finish. Optional Lifetime finishes available.



The lock area is reinforced with a 20-gauge steel security plate for added strength.



Spring-loaded latch system automatically engages upon closing. Latch also includes interior locking feature. BetterVue® fiberglass screen mesh is standard. Heavy-duty fiberglass, aluminum or SeeVue® stainless steel screen is optional.



Suspended by ball bearing rollers this **top-hung** heavy-duty aluminum screen frame reduces binding, creating effortless operation. Screen frames are available in all 16 paint colors.



 $\operatorname{Z-AC^{TM}}$ Threshold with an auto-adjusting riser. Available in Mill or Anodized Bronze Finish



Thresholds for Impact Shield rated Hinged Patio Doors have an oak-like riser and do not have composite base material

DOOR SWING



OPTIONS

Custom Widths and Heights - Need a little more height or a little less width? We are pleased to offer customized patio door widths and heights in %" increments. Door Swing - (Doors viewed from above. Inswing only.) Finishes - Patio doors are available in all finishes shown on pages 102-109.

STANDARD SIZING INFORMATION

	Dov	vnsized (St	andard) P	atio Doors				Full Size F	atio Doors	
Patio Unit Sizing	Patio Width	Unit Size	Rough Opening	Brickmold to Brickmold*	Patio Height	Patio Width	Unit Size	Rough Opening	Brickmold to Brickmold*	Patio Height
	60"	597/16"	603/16"	6115/16"		60"	61%"	62%"	641/8"	B 10 :
	64"	637/16"	643/16"	6515/16"	Rough Opening Height	64"	65%"	663/8"	681/8"	Rough Opening Height
	68"	671/16"	683/16"	6915/16"	797/8"	68"	695/8"	70%"	721/8"	82"
	72"	717/16"	723/16"	7315/16"	Unit Height Not	72"	735/8"	74%"	761/8"	Unit Height Not
	90"	881/16"	895/16"	911/16"	Including Brickmold	90"	91¾"	921/2"	941/4"	Including Brickmold 81 ⁵ /8"
	96"	94%16"	955/16"	971/16"		96"	973/4"	981/2"	1001/4"	
	102"	100%16"	1015/16"	1031/16"	Unit Height Including Brickmold* 80 ⁵ /8"	102"	103¾"	104½"	1061/4"	Unit Height Including Brickmold*
	108"	106%16"	1075/16"	1091/16"		108"	109¾"	110½"	1121/4"	82 ⁷ /8"


Optional Aluminum Frame Cladding will increase brickmold to brickmold width by 1/4" and height by 1/4". Not all sizes available in all door types.

VINYL SLIDING PATIO DOORS

Vinyl Sliding Patio Doors are tested against the most stringent industry standards for air and water infiltration, wind load resistance, ease of operation, forced entry and much more. This means you'll have lower heating and air-conditioning costs, easier cleaning, low maintenance and increased comfort.



LIFETIME LIMITED WARRANTYIncludes Glass Breakage & Seal Failure







a sash lever combined with a

finishes for sash lever. Standard for Endure, optional for Aspect.

duty aluminum screen



New welding technology gives Endure™ patio doors with the option to upgrade on white, beige and sandstone.



greater thermal efficiency and



automatically engages upon fiberglass, stainless steel or aluminum mesh is optional.

that with our patented



ergonomic finger-tipped




panels ensure rigidity and stable operation.



meet and interlock perfectly, making removal from the outside virtually impossible. Lower sill design provides



the door open for ventilation yet keep would-be intruders optional for Endure.



system features four adjustable 1" wheels

OPTIONS

INTERNAL GRIDS



Internal Grids Triple Glazed Glass



Internal Grids Double Glazed Glass



Contoured



Flat



V-Groove

SAMPLE GRID PATTERNS







Cottage 1V2H



Double Prairie



Cottage TS-2V1H



Single Prairie

INTERNAL **BLINDS** (NOT tested for Impact Shield regions)



- Ultra-Privacy edge channel design keeps out light and prying eyes
- Blinds tilt, raise and lower using the convenient fingertip adjustment slides
- Easy to clean; no more dusting of blinds
- Internal Blinds are available in silver, champagne, white, cream or tan.
- 10-Year Limited Warranty
- Available in standard and custom sizes (see price list for availability)
- Available in 1, 2, 3 and 4 lite models



Blinds with Low-E on surface 2 and 4 are ENERGY STAR® certified nationwide

regions. Sidelites and transoms are NOT available.

CONFIGURATION Available in 2, 3 or 4-panel configurations in both standard and custom sizes


















Fixed sidelites



PATIO DOOR & INTERNAL GRID COLORS



* Laminated Vinyl
Please refer to our color selector for accurate color representation

HARDWARE Standard Mortise Hardware

Our Standard Mortise Hardware is available in White, Beige, Sandstone and Black



Optional Mortise Hardware (with keylock)

Schlage® C Keyway on all keyed locking handles allow single key entry for the entire house (Also optional for Aspect)

Our Optional Mortise Hardware with keylock is available in White, Beige, Sandstone, Black, Aged Bronze, Antique Brass and Bright Brass.



OTHER **OPTIONS**

- Flat and Contoured Internal Grids
- Internal Blinds (white, cream, tan silver, champange)
- Inspirations™ Art Glass
- ComforTech™ DLA-UV (standard), DLA-UV-HC, TLA-UV and TLK-UV. NOT tested for Impact Shield regions.
- Tinted glass: Gray, Bronze, Green or Blue
- Privacy glass (Obsure Pebble, Chinchilla, Taffeta, Waterfall, Gluechip)
- Single and Double Prairie beveled glass
- 8' wide units can be ordered assembled or knock-down.
 For Impact Shield regions, units less than 6' (width) x
 6'8" (height) can be ordered assembled or knock-down.
 All larger units will be ordered knock-down.



PATIO DOOR & INTERNAL GRID COLORS



Please refer to our color selector for accurate color representation

HARDWARE Standard Mortise Hardware

Our Standard Mortise Hardware is available in White, Beige, Sandstone and Black.



Optional Mortise Hardware (with keylock)







Bright Brass Satin Nickel Flat Bronze*

*Flat Bronze coordinates (but is not an exact match) with Aged Bronze accessories

OTHER **OPTIONS**

- Flat and Contoured Internal Grids
- Internal Blinds (White)
- ComforTech™ DLA (standard), DLA-HC, TLA and TLK. NOT tested for Impact Shield regions.
- Tinted glass: Gray), Bronze, Green or Blue
- Privacy glass (Obsure Pebble, Chinchilla, Taffeta, Waterfall, Gluechip)
- Single and Double Prairie beveled glass
- 8' wide units can be ordered assembled or knock-down.
 For Impact Shield regions, units less than 6' (width) x
 6'8" (height) can be ordered assembled or knock-down.
 All larger units will be ordered knock-down.


Please refer to the Endure and Aspect Patio Door Brochures for more information.






STORM DOOR DETAILS

The details are the small things that set our storm doors apart from the competition. A lot of small things add up to a big difference.



CONSTRUCTION	Spectrum	Decorator	Deluxe	DuraGuard	Superview
1 InVent™ Retractable Screen System	•				
2 Outside corners are secured to corrosion-proof gussets, for structural integrity	•	•	•	•	•
3 Color matched aluminum installation screw covers enhance the appearance of your door	•	•	•	•	•
4 The bottom sweep eliminates drafts			Double	Double	
5 The sculptured frame adds durability					
6 Multi-hollow construction provides greater strength and security than standard storm doors	•	•	•	•	
7 The reinforced aluminum kick panel adds durability	•		•	•	
3 The aluminum kick panel resists rust and adds strength	•		•	•	•
Corner keys provide added support to the inside of the door frame	•	•	•	•	
① Aluminum wall thickness up to 20% thicker than industry standard	•	•	•	•	
1 The .023 gauge stainless steel screen offers extra security and protection (12 x 12 mesh)				•	
2 Non-operable sash/screen secured by internal lock system or color matched polycarbonate clips			Clips	Clips	Clips
3 Standard insulated frame core to help reduce air movement		•			
⊗ Screen included	•	Optional	•	•	•



STORM DOOR PAINT FINISHING SYSTEM

Our paint process is computer controlled, ensuring professional quality every time Paint is electrostatically applied with a vertical hydraulic reciprocator using a turbodisc that atomizes the paint particles for better coverage of contoured extrusions.

LIFETIME FINISH WARRANTY

STORM DOOR PAINT COLORS

Always refer to our color selector for accurate color representation



[†] Limited Colors. Available on entry doors and storm doors. Matching cladding and caulking not available



Spectrum Series storm doors bring you smooth functionality, beauty and durability. Our exclusive top and bottom InVent™ retractable screen system allows you more venting options than ever.


SPECTRUM STORM DOORS INCLUDE:

- Two InVent retractable screens
- Triple seal bottom sweep
- 11/4" x 43/16" wide sculptured frame

LIFETIME LIMITED WARRANTY

Includes Glass Breakage

STANDARD HARDWARE & ACCESSORIES





Prairie with Beveled Glass and Brass Inlay ◊



295-Z Full View Double Prairie with Beveled Glass and Zinc Inlay



Prairie with Beveled Glass



298-B Three-Quarter View with Beveled Glass and Brass Inlay ◊



Three-Quarter View with Beveled Glass and Zinc Inlay



298-VG Three-Quarter View with Beveled Glass



291 Full View 298 Three-Quarter View (Inspirations Glass available) (Inspirations Glass available)





279-C Colonial Half-Lite



279 Flush Half-Lite



292 Provincial Half-Lite



293 Crossbuck Half-Lite



291SH Full View (Only one InVent top screen and fixed bottom sash)



Three-Quarter View (Only one InVent top screen and fixed bottom sash)

on these limits.



274-CSH Colonial Half-Lite (Only one InVent top screen and fixed bottom sash) * ‡

Acrylic is required (instead of tempered glass) for custom size storm doors where

pounds. entryLINK will automatically change the glass selection to Acrylic based

the sash size is greater than 20 square feet or the sash weigh is greater than 36



Half-Lite (Only one InVent top screen and fixed bottom sash) * ‡






INSPIRATIONS™ ART GLASS

Ask to see our Inspirations Art Glass brochure for our complete selection of designs, color palettes and style availability.

- * When top sash opens, it passes in front of kick panel
 - ♦ Bright Brass hardware, anodized brass piano hinge and brass-look bottom expander are standard on Spectrum storm doors with brass caming.
 - ‡ Available in 8' height







Decorator Series provides a stylish, fresh look to accent your entry. Select one of the distinct styles from our Decorator Series storm doors.

DECORATOR STORM DOORS INCLUDE:

- Triple seal bottom sweep
- 1¼" x 4" wide sculptured frame

LIFETIME LIMITED WARRANTY

Includes Glass Breakage

STANDARD HARDWARE & ACCESSORIES





591 Full View Archway with Beveled Glass



591-B Full View Archway with Beveled Glass & Brass Inlay



591-Z Full View Archway with Beveled Glass & Zinc Inlay ◊



595 Full View Double Prairie with Beveled Glass



#595-B Full View Double Prairie with Beveled Glass & Brass Inlay



#595-Z Full View Double Prairie with Beveled Glass & Zinc Inlay ◊



590 Full View ‡



Ask to see our Inspirations™ Art Glass brochure for our complete selection of designs, color palettes and style availability.



This spring-loaded, flush mounted lock secures the glass, virtually eliminating rattles and air leaks. Only available in Zinc finish

Acrylic is required (instead of tempered glass) for custom size storm doors where the sash size is greater than 20 square feet or the sash weigh is greater than 36 pounds. entryLINK will automatically change the glass selection to Acrylic based on these limits.

- Optional full screen with horizontal stabilizer bar available for all Decorator doors.

 Satin Nickel hardware, and painted Satin Nickel piano hinge are standard on Decorator storm doors with zinc caming or Inspirations Art Glass.
- ‡ Available in 8' height





Deluxe Series is the answer whether you're looking for additional light, ventilation or protection from the elements. You'll find the exact style you're looking for in our Deluxe Series of storm doors.

DELUXE STORM DOORS INCLUDE:

- Double seal bottom sweep
- 1¼" x 35%" wide sculptured frame
- BetterVue® Fiberglass Screen

LIFETIME LIMITED WARRANTY

Includes Glass Breakage

STANDARD HARDWARE & ACCESSORIES





385 Full View Double Prairie with Beveled Glass (Includes screen*)



382 Full View with Beveled Glass (Includes screen*)



397 Full View



391 Full View Divided Lite (Includes top screen) ‡



396-V One-Lite with fixed .023 gauge stainless steel screen ventilated bottom (Inspirations Glass available) (Includes full screen) ‡ & removable sash (Includes top screen*) ‡ (Inspirations Glass available)



396 One-Lite (Includes screen*)



399-M Modern Self-Storing



399 Self-Storing (Includes full screen*) ‡



398-M Modern Hi-Lite (Includes top screen) ‡



398 Hi-Lite (Includes top screen) ‡



389-M Modern Self-Storing (Includes full screen*) ‡



389 Self-Storing (Includes full screen*) ‡



379-C Colonial Self-Storing (Includes full screen) ‡



379 Self-Storing (Includes full screen) ‡



392 Provincial Self-Storing (Includes full screen) ‡

on these limits.



394 Provincial (Includes screen) ‡

Acrylic is required (instead of tempered glass) for custom size storm doors where the sash size is greater than 20 square feet or the sash weigh is greater than 36 pounds. entryLINK will automatically change the glass selection to Acrylic based



393 Crossbuck Self-Storing (Includes full screen) ‡



395 Crossbuck (Includes screen) ‡



Colonial Half-Lite (Includes screen) ‡



374 Flush Half-Lite (Includes screen) ‡



Vintage (Timberland)

INSPIRATIONS™ ART GLASS

Ask to see our Inspirations Art Glass brochure for our complete selection of designs, color palettes and style availability.

Full and One-Lite screens have

‡ Available in 8' height

horizontal stabilizer bar





DuraGuard is exactly what you need if you're concerned about keeping your small children and pets safely inside. Select one of our doors with heavy-duty, non-removable stainless steel screening.

DURAGUARD STORM DOORS INCLUDE:

- Non-removable .023 stainless steel screen (only available on DuraGuard models)
- Double seal bottom sweep
- 1¼" x 35%" wide sculptured frame

LIFETIME LIMITED WARRANTY

Includes Glass Breakage

STANDARD HARDWARE & ACCESSORIES





097 Screen Door ‡ 097-G with removable glass insert



096 Screen Door ‡ 096-G with removable glass insert ‡



096-GV With ventilated bottom and removable top and bottom sashes ‡



099 Self-Storing Sash & Screen



099-M Modern Self-Storing Sash & Screen



089 Self-Storing Sash & Screen



089-M Modern Self-Storing Sash & Screen



074 Flush Half Lite (Removable sash) ‡



074-C Colonial Half Lite (Removable sash) ‡



094 Provincial Half Lite (Removable sash) ‡



095 Crossbuck Half Lite (Removable sash) ‡



079 Self-Storing



079-C Colonial Self-Storing ‡



092 Provincial Self-Storing ‡



093 Crossbuck Self-Storing ‡

Acrylic is required (instead of tempered glass) for custom size storm doors where the sash size is greater than 20 square feet or the sash weigh is greater than 36 pounds. entryLINK will automatically change the glass selection to Acrylic based on these limits.







Superview offers a selection of storm doors constructed for style and value in one complete package.


SUPERVIEW STORM DOORS INCLUDE:

- Single seal bottom sweep
- 1¼" x 25%" wide sculptured frame
- BetterVue® Fiberglass Screen

LIFETIME LIMITED WARRANTY

Includes Glass Breakage

STANDARD HARDWARE & ACCESSORIES









896 One-Lite (Includes screen*)



898 Hi-Lite (Includes top screen)



899 Self-Storing (Includes bottom screen)



895 Crossbuck (Includes screen)

Superview storm doors are available in the following colors



Always refer to our color selector for accurate color representation.

* Full and One-Lite screens have horizontal stabilizer bar





MULTI-POINT





AVAILABLE FINISHES



Our Mortise hardware features a multi-point locking system for added strength and security not found on typical consumer-grade storm door hardware.

Requires a factory handleset prep and is not available on expander door.

HARDWARE F	HARDV	Vare 🗚	VAIL	ABILITY	1				
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	10-Year Finish Antique Brass	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™
Sierra	•	•	•	•	Standard*				
Venice	•	•	•	•					

- Interior handle finish matches exterior handle
- Available as an option

^{*}Not recommended or warranted for coastal applications. Windsor Lever on pg.154 is standard for Impact Shield regions

SINGLE-POINT

WESTGATE






Westgate Interior

AVAILABLE FINISHES





CAMBRIDGE





Cambridge Interior

offering enhanced security, durability and style over standard surface mounted hardware.

Optional Single-Point Mortise hardware,



Not available to be Keyed to entry door.

Requires a factory handleset prep and is not available on expander door.

AVAILABLE FINISHES



HARDWARE FINISH AVAILABILITY HARDWARE AVAILABILITY											
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	1-Year Antique Brass	1-Year White	1-Year Black	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™
Cambridge	•	•	•	•	•	•					
Westgate	•	•	•	•		•					

- Interior handle finish matches exterior handle
- Available as an option

^{*}Not recommended or warranted for coastal applications. Windsor Lever on pg.154 is standard for Impact Shield regions



WINDSOR



TOWNSEND



AVAILABLE FINISHES



1-Year Antique Brass


Lifetime Aged Bronze


1-Year Black

HARDWARE FI	NISH A\	/AILABI	LITY			HARDV	VARE AV	/AILAB	ILITY	
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	1-Year Antique Brass	1-Year Black	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™
Windsor	•	•	•	•	•		Standard			*
Townsend	•	•	•	•	•					*

- Interior handle finish matches exterior handle
- Available as an option
- † Standard color is black
- * Not available on Superview Model 899

CONTEMPORARY CURVE LEVER





PUSH BUTTON



AVAILABLE FINISHES Push Button/Pull Handle

1-Year Black
1-Year White

PULL HANDLE



HARDWARE FINISH AVAILABILITY						HARDV	VARE A V	VAILAB	ILITY		
Exterior Handle Styles	LIFETIME Bright Brass	LIFETIME Satin Nickel	LIFETIME Aged Bronze	1-Year Antique Brass	1-Year White	1-Year Black	Spectrum™	Decorator™	Deluxe™	DuraGuard™	Superview™
Contemporary Curve	•	•	•	•	•	•			Standard †	Standard †	*
Push Button (DH201 & DH202)					•	•					*
Push Button (DH192)						•					
Pull Handle					•	•					Standard †

- Interior handle finish matches exterior handle
- Available as an option
- † Standard color is black
- * Not available on Superview Model 899

ACCESSORIES



FRFFDOM PET DOOR

Factory Installed - Available on Flush Doors Only

- Solid aluminum construction with locking panel
- Soft single flap for tight weather seal
- White mitered aluminum frame
- Also available on entry doors. See page 130.
- Also available on additional storm door styles.
- Only available with heavy-duty closer, Pet Door N/A with dual closers

Medium

 $8\frac{1}{4}$ " x $12\frac{1}{4}$ " opening for pets up to 40 lbs.

 $10\frac{1}{4}$ " x $16\frac{1}{4}$ " opening for pets up to 100 lbs.

 $13\frac{3}{4}$ " x $23\frac{3}{4}$ " opening for pets up to 220 lbs.



#279 Flush Half-Lite with Pet Door Option





#079 Self-Storing with mail slot option

MAGAZINE & MAIL SLOT

Lifetime Bright Brass, Lifetime Satin Nickel and Lifetime Aged Bronze magazine and mail slots are available on 074, 079, 279, 374 and 379.



PIANO HINGE & BOTTOM EXPANDER



Painted Satin Nickel piano hinge and bottom expander



Painted Aged Bronze piano hinge and bottom expander



EASY-SET CLOSER

Just a slight push on the cap and it'll stay open. Push door open further and it releases. Color matched to door.



FLORIDA

Impact Shield Products are designed to protect your family and home against the harshest storms and deter burglars. All entry systems and patio doors in this Impact Shield Products section are wind-borne debris resistant and approved by the State of Florida. *floridabuilding.org*




TEXAS

Impact Shield Products have been tested for the Designated Catastrophe Areas in Texas. Refer to **provia.com/certification** for a complete listing of approved products.



We're constantly testing new Certified Wind Load and Impact Shield products. For the latest information visit: provia.com/certification

All of our Impact Shield Products feature ComforTech™ laminated glass.



R-Value reflects properties of the glass only. Center of glass calculations are based upon software from Lawrence Berkeley National Laboratory.

	की	1		S
Entry Systems ComforTech™ Glass Package	R-Value	Solar Heat Gain Coefficient (SHGC)	Visible Light	UV Transmittance
INSULATED GLASS UNIT				
1" ComforTech DC-C	2	0.72	80%	59%
1" ComforTech DLA-C	4	0.39	71%	20%
1" ComforTech DLA-UV-C	4	0.27	63%	5.9%
1¾6" ComforTech TLA-C	5	0.33	54%	6.9%
1¾6" ComforTech TLA-UV-C	5	0.23	45%	0.7%
1¾6" ComforTech TLK-C	6	0.33	54%	6.9%
13/16" Comfortech TLK-UV-C	6	0.23	45%	0.7%





ENTRY DOOR AND DESIGNER™ PATIO DOOR

IMPACT SHIELD FEATURES



All glass for Impact Shield Products is laminated to provide protection against wind-borne debris.



Heavy-duty stainless steel hinges resist corrosion and are standard in wind-borne debris regions.



Aluminum window trim of our own exclusive design provides ultimate durability in the harshest of elements. Textured Steel doors have hand-stained smooth aluminum window trim.



VINYL SLIDING PATIO DOOR

IMPACT SHIELD FEATURES



All glass for Impact Shield Products is laminated to provide protection against wind-borne debris.



Additional heavy aluminum interlock on center stile adds durability and strength.

STORM DOORS

All ProVia® storm doors are available for use in the Impact Shield regions. While storm doors help protect your entry door from the elements, they are NOT wind-borne debris tested, and therefore are NOT considered an Impact Shield Product.





ESSENCE







8' Essence 430ESZ

pg. 20

CHEYENNE

pg. 12

pg. 14







pg. 10



430CHP**†** pg. 8

8' Cheyenne

430CHZ pg. 20

SYMPHONY



160SYA 460SYA pg. 14 pg. 12



532SYA* ł pg. 32











- ł Requires an additional 6-week lead time
- † For additional door panel styles see pg. 26 (for Legacy") § Also available in 10" width. See Price List for design pattern

pg. 14

- ‡ All transoms must be installed in a separate opening or use approved engineering mulls NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.

BERKLEY










LAURENCE










CARRINGTON










ł Requires an additional 6-week lead time

[†] For additional door panel styles see pg. 26 (for Legacy™)



TACOMA

612/613TAC # pg. 30 160TAC pg. 14 460TAC pg. 12 160TAC pg. 14





SOMERSET








160SOM pg. 14 pg. 8 pg. 14


8' Somerset



pg. 20

CARMEN







440CRM† pg. 10



430CRM**†** pg. 8

8' Carmen



pg. 20

Note: The Outside View / Inside View photos shown below also apply to Carmen glass

BARCELONA



460BRC pg. 12 pg. 14



440BRC**†** pg. 10




pg. 8

430BRC pg. 20

8' Barcelona





Note: In Impact Shield regions, the gluechip glass (or other privacy glass) is positioned to the outside face of the wrought iron.

- ł Requires an additional 6-week lead time
- † For additional door panel styles see pg. 26 (for Legacy") § Also available in 10" width. See Price List for design pattern
- ‡ All transoms must be installed in a separate opening or use approved engineering mulls
 NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.
 Woodgrain Textured Steel is NOT available in 8' doors and sidelites.
 Direct-Set sidelites can be used with all door types.

CONSTANCE







TRANQUILITY











- ł Requires an additional 6-week lead time † For additional door panel styles see pg. 26 (for Legacy™)
- ‡ All transoms must be installed in a separate opening or use approved engineering mulls NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.



GEMSTONE

612/613GEM ‡ pg. 30 160GEM 460GEM 160GEM pg. 14 pg. 12 pg. 14



pg. 10





ECLIPSE





FLORENCE









ESMOND



- ł Requires an additional 6-week lead time
- † For additional door panel styles see pg. 26 (for Legacy") § Also available in 10" width. See Price List for design pattern
- All transoms must be installed in a separate opening or use approved engineering mulls
 NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.
 Woodgrain Textured Steel is NOT available in 8' doors and sidelites.
 Direct-Set sidelites can be used with all door types.

430ESM pg. 20


Impact Shield

PAGE NUMBERS REFERENCE PROVIA IMPACT SHIELD PRICE BOOK

CARLISLE



PRIVACY



8' Privacy

- ł Requires an additional 6-week lead time
- \dagger For additional door panel styles see pg. 26 (for Legacy $^{\text{\tiny{TM}}}$)
- ‡ All transoms must be installed in a separate opening or use approved engineering mulls NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.



INTERNAL GRIDS

516DC-IGS ‡ pg. 32



616DC-IGT ‡ pg. 29









- † For additional door panel styles see pg. 26 (for Legacy**) \$ Also available in 10" width. See Price List for design pattern
- ‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.
Woodgrain Textured Steel is NOT available in 8' doors and sidelites.
Direct-Set sidelites can be used with all door types.

CLEAR GLASS























460 Clear Glass entry systems with TLK-C are ENERGY STAR® Certified. 440 Clear Glass entry systems with TLA-C or TLK-C are ENERGY STAR Certified.



160DC pg. 15

pg. 11

770DC§ pg. 17

430DC**†** pg. 9

pg. 9


8' Clear Glass



460DC 160DC pg. 22 pg. 23









‡ All transoms must be installed in a separate opening or use approved engineering mulls NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.



All Doors Without Glass are ENERGY STAR® Certified.

DOORS WITHOUT GLASS See chart on pg. 34 for style availability





8' Doors Without Glass



* Not available in Signet®

‡ All transoms must be installed in a separate opening or use approved engineering mulls

NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.


Woodgrain Textured Steel is NOT available in 8' doors and sidelites. Direct-Set sidelites can be used with all door types.

HARBOR





AMERICANA






- \dagger For additional door panel styles see pg. 26 (for Legacy $^{\text{\tiny{TM}}}$)
- § Also available in 10" width. See Price List for design pattern
- All transoms must be installed in a separate opening or use approved engineering mulls
 NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.
 Woodgrain Textured Steel is NOT available in 8' doors and sidelites.
 Direct-Set sidelites can be used with all door types.
 4-week lead time on all Inspirations designs



VINTAGE








LINCOLN





TULIPS







- † For additional door panel styles see pg. 26 (for Legacy**) § Also available in 10" width. See Price List for design pattern
- ‡ All transoms must be installed in a separate opening or use approved engineering mulls


NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel. Woodgrain Textured Steel is NOT available in 8' doors and sidelites.
Direct-Set sidelites can be used with all door types.
4-week lead time on all Inspirations designs







8' Harmony **HARMONY** 612/613HAR‡ pg. 31 460HAR 160HAR 440HAR† 430HAR† 532HAR ‡ pg. 32 460HAR 160HAR 430HAR 770HAR8 pg. 22 pg. 21 pg. 13 pg. 15 pg. 11 pg. 17 pg. 9 pg. 23 pg. 24






- † For additional door panel styles see pg. 26 (for Legacy**) § Also available in 10" width. See Price List for design pattern
- ‡ All transoms must be installed in a separate opening or use approved engineering mulls NOTE: All doors and sidelites with glass are only available in Smooth or Woodgrain Textured Steel.


BLOSSOMS







CAMBRIA







WESTIN







 $[\]dagger$ For additional door panel styles see pg. 26 (for Legacy $^{\text{\tiny{TM}}}$)

[§] Also available in 10" width. See Price List for design pattern

[‡] All transoms must be installed in a separate opening or use approved engineering mulls






FRENCH DOORS



DESIGNER™ PATIO DOORS



VINYL SLIDING PATIO DOORS



only available in 2-lite configuration pg. 75

OUR MISSION:

TO SERVE, BY CARING FOR— DETAILS IN WAYS OTHERS WON'T

At ProVia, we care about our customers as much as we do the products and services we meticulously provide. We combine old-world craftsmanship with state-of-the-art technology to deliver personalized care with every order. We invite you to experience ProVia's full line of products crafted The Professional Way - which includes the industry's best in doors, windows, siding, stone and roofing.

Browse our full line of products at **provia.com**







Your Vision is Our Inspiration



WINDOWS



SIDING




STONE



ROOFING

provia.com





At ProVia, we manufacture energy efficient products and exercise corporate environmental stewardship by recycling, reducing pollution emissions and much more. In fact, our company has received repeated awards from the Environmental Protection Agency such as Partner of the Year - Sustained Excellence for Door and Window Manufacturing.

Provia THE PROFESSIONAL WAY
DOORS WINDOWS SIDING STONE ROOFING
provia.com

© 2020 ProVia P-MK-03005-20 | 11/19

Distributed	by:
D 10 ti 10 ti to ti	~ , .