















BREATHE.

COLOR AVAILABILITY



Aged Cedar[†]

Not available in Service Areas 2, 3, 6, 8 (see map).



Amber[†]

Not available in Service Areas 2, 6, 8, 13 (see map).



Antique Silver[†]

Not available in Service Areas 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 (see map).



Beachwood Sand[†]

Not available in Service Areas 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 (see map).



Black Walnut[†]

Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 (see map).



Brownwood[†]



Chateau Green[†]



Colonial Slate[†]

Not available in Service Areas 2, 3, 6, 8, 12, 13 (see man)



Desert Tan[†]



Driftwood[†]



Estate Gray[†]



Flagstone[†]

Not available in Service Areas 2, 3, 6, 8 (see map).



Harbor Blue[†]



Onyx Black[†]



Peppermill Gray[†]

Not available in Service Areas 3, 8 (see map).



Quarry Gray[†]

Not available in Service Areas 8, 10, 11 (see map).



Sand Castle[†]

Not available in Service Areas 2, 3, 6, 8, 10, 12, 13 (see map).




Shasta White[†]



Sierra Gray[†]

Not available in Service Areas 2, 3, 6, 8 (see map).



Slatestone Gray[†]

Not available in Service Areas 3, 4, 5, 7, 8, 10, 11, 12, 13 (see map).



Teak[†]

Not available in Service Area 3 (see map).



Terra Cotta[†]

Not available in Service Area 13 (see map).




Twilight Black[†]

Not available in Service Areas 3, 8, 10, 11, 12, 13 (see map).



Williamsburg Gray[†]

Not available in Service Areas 1, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13 (see map).







- Formulated with a shadow line to allow for distinction along ridge lines
- Increased exposure allows for quick installation
- No additional cutting required on-site with pre-manufactured perforations for easy separation
- Consistent system limited warranty

 ProEdge® Hip & Ridge Shingle
 limited warranty corresponds with
 the Owens Corning® Shingle Limited

 Warranty installed**
- Algae resistant with special formulation to resist staining

THE CAP SHINGLE TO FINISH THE JOB RIGHT. PROEDGE® HIP & RIDGE SHINGLES



Fast Installation

- Perforated for easy separation. No additional on-site cutting required.
- Pre-cut edges create a clean, defined roof line
- Larger exposure requires fewer pieces to achieve coverage compared to strip shingles.




Added Protection

- Pre-applied continuous sealant bead for quick adhesion
- Consistent system limited warranty and performance⁺⁺
- Engineered to deliver 110 MPH wind warranty performance‡



Enhanced Aesthetics

- Shadow line provides strong distinction along ridge line
- Color coordinated to compliment Owens Corning® laminate shingle line






It takes more than just shingles to protect your home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity

inside. The Owens Corning® Total Protection Roofing System® gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof— and to enhance the comfort and enjoyment of those who live beneath it.

TOTAL PROTECTION SIMPLIFIED



- * Subject to regional availability.
- ** Applies for all areas that recognize Miami-Dade Product Control Section.
- † Actual colors and granule blends may vary from the photo. We suggest that you view actual product on the roof to get a better idea of the finish color. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.
- †† See actual warranty for complete details.
- ‡ Wind Resistance Limited Warranty may vary depending on the Owens Corning® shingle installed on the field of the roof. See actual warranty.
- ‡‡ Only on product sold in Canada.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- ## Underwriters Laboratories Evaluation Service Evaluation Report.
- ^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking. Disclaimer of Liability

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Owens Corning makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein.

Make The Right Choice with ProEdge Hip & Ridge Shingles

Attention to detail matters. ProEdge® Hip & Ridge Shingles provide a clean, consistent roof line while offering a cost-effective solution to cutting strip shingles. Capping a roof is now quick and easy.

ProEdge® Hip & Ridge shingles coordinate with TruDefinition® Duration® Shingles Designer Colors Collection.



Product Specifications	Standard	Metric Only available in Service Area 13.
Nominal Size	12" x 36"	13¼ " x 39½"
Piece Size	12" x 12"	13¼ " x 9 ²⁷ / ₃₂ "
Exposure	6"	6 ⁵ /8"
Shingles per Bundle	22	19
Pieces per Shingle/Bundle	3/66	4/76
Lineal Coverage per Bundle	33 ft.	41.95 ft.
<u>_</u>		41.55 16.
Applicable Standards and (
Applicable Standards and C Algae Resistant* ASTM D228	Codes	‡
Applicable Standards and C Algae Resistant* ASTM D228	Codes CSA A123.5‡	‡ uct Approval
Applicable Standards and C Algae Resistant* ASTM D228 ASTM D3018 (Type 1)* ASTM D3161	CSA A123.5‡ Florida Produ ICC-ES AC43	‡ uct Approval
Applicable Standards and C Algae Resistant* ASTM D228 ASTM D3018 (Type 1)* ASTM D3161 (Class F Wind Resistance)‡	CSA A123.5‡ Florida Produ ICC-ES AC43	‡ uct Approval 88# County Approved**
Applicable Standards and C Algae Resistant* ASTM D228 ASTM D3018 (Type 1)* ASTM D3161	Codes CSA A123.5‡ Florida Produ ICC-ES AC43 Miami-Dade	‡ uct Approval 88# County Approved**

(Atlanta, Brookville, Denver, Irving East, Irving West, Jacksonville, Kearny, Medina, Memphis, Minneapolis, Portland, Savannah, Summit)

Owens Corning Roofing And Asphalt, LLC

One Owens Corning Parkway Toledo, Ohio, USA 43659 Ph: 1-800-GET-PINK®